



MCL

Office of the General Manager (M&S)

PO: Jagriti Vihar, Burla, Sambalpur-768020, Odisha.

PBX No.- 0663-2542461-69, FAX No.: 0663-2542307,

Telephone No.: 0663 – 2542870 (O) / 2542359 (O)

e-mail ID : gm-snm.mcl@coalindia.in

No. MCL/SBP/GM (M&S)/Coml./2020-21/ 2475

Dt. 11/03/2021


NOTICE

Sub: Re-declaration/Revision of Coal Grade

MCL vide Notice no. MCL/HQ/DT (OP) Office/20-21/32 dated 10/02/2021 (Copy enclosed as Annexure-1) notified re-declaration of Coal Grade of Thirty Nine (39) coal seams/Sidings/Combined Seams of Thirteen (13) mines of MCL. Further, MCL vide Notice no. MCL/HQ/DT (OP) Office/20-21/43 dated 17/02/2021 (Copy enclosed as Annexure-2) notified Provisional Grade declaration of Sardega Siding 1 & 2 of Mahalaxmi Area and Kanika Siding of Basundhara Area of MCL for Separate Stacking & despatch of G 13 & G 14 grade coal.

Consumers having Fuel Supply Agreement (FSA) with MCL are requested to take note of the revision in Coal Grade of various collieries/sidings of MCL as per the aforementioned Notices dated 10/02/2021 and 17/02/2021. NRS Linkage Auction consumers are requested to submit specific application expressing their consent for release of revised grade of coal in cases where the Contracted Grade of coal under FSA is changed pursuant to the above mentioned Notices dated 10/02/2021 and 17/02/2021.

This is for information of all concerned.


General Manager (M&S)

Distribution:

- DT (OP), MCL:- for kind information.
- GM(M&S)/HOD (M&S-Coml.), CIL, Kolkata
- GM(QC), MCL
- GM(Fin-SA), MCL
- Chief Manager (M&S-Rail/OP), MCL
- Chief Manager (Fin-SA), MCL HQ
- Manager (M&S-Road Sales), MCL
- GM(Systems)- is requested to upload the notice on MCL website under the Link **"Our Business"-- > "Sales & Marketing"-- > "Notices"--- > "Notices for FSA"**

ମହାନଦୀ କୋଲ୍ ଫିଲ୍ଡ୍ସ୍ ଲିମିଟେଡ୍
महानदी कोलफील्ड्स लिमिटेड
Mahanadi Coalfields Limited
(A subsidiary of Coal India Limited)

निदेशकतकनीकी(संचालन) का कार्यालय
DIRECTOR TECH. (OPERATION) SECRETARIAT
P.O : JagruliVihar, Burla
Dist: Sambalpur, Odisha-768020
Ph: +91 (663) 254 2775
Fax: +91 (663) 254 2360
e-mail: dt-op.mcl@coalindia.in, dtopmcl@gmail.com
website:www.mcl.gov.in
CIN:U10102OR1992GOI003038



MCL

क्रमांकसंख्या: एम.सी.एल/मुख्यालय/निदेशकतकनीकी (संचालन) कार्यालय/20-21/ 32

दिनांक: 10/02/2021

ANNEXURE-I

Sub : Re-declaration of Coal Grade of Thirty Nine (39) Coal seams/ Sidings/ Combined Seams of Thirteen (13) mines of MCL

As per directive issued by CCO, Kolkata vide office order no:- CC/ Tech/ Ann.Gr/ MCL/ 2020-21, dtd. 03.02.2021 and In pursuance of provisions of sub-rule (2) of rule 4 of Colliery Control Rules, 2004 and also sub-rule 2 of rule 18 B of Coal Mines (Conservation and Development) Amendment Rules 2011, I being the competent authority of the company, hereby re-declare the Coal Grade in respect of undermentioned Colliery/ Seams/ Sidings/ Combined Seam of MCL for the year 2020-21 to be effective from "00" Hours of 11.02.2021 in supersession of all previous declaration, if any:-

Area	Colliery	Seam/ Combined Seam/ Siding	Name of Seam	ROM (Sized)
				Grade
Jagannath	Jagannath OCP	Seam	Talcher -II	G 12
	Ananta OCP	Seam	Talcher -III	G 12
		Combined Seam	Composite Grade Coal Of Talcher Seams Of Ananta OCP	G 12
		Siding-V	Composite Grade Coal Of Ananta OCP, Jagannath OCP & Bhubaneswari OCP.	G 12
		Siding-VI	Composite Grade Coal Of Ananta OCP, Jagannath OCP & Bhubaneswari OCP	G 12
Bhubaneswari	Bhubaneswari OCP	Seam	Talcher -VI	G 14
		Combined Seam	Composite Grade Coal Of (Talcher Seam-II (50%), Talcher Seam-III (21%), Talcher Seam-IV (12%), Talcher Seam-V (12%) & Talcher Seam-VI (5%)) Bhubaneswari OCP	G 12
		Siding-I	Composite Grade Coal Of Seams Of Jagannath OCP & Bhubaneswari OCP	G 12
		Siding-III	Composite Grade Coal Of Seams Of Bhubaneswari OCP	G 12
Bharatpur	Bharatpur OCP	Seam	Talcher -II	G 13
		Seam	Talcher -III	G 12
		Seam	Talcher -IV	G 14
		Combined Seam	Composite Grade Coal Of Talcher Seams Of Bharatpur OCP	G 13 (P)
		Silo	Composite Grade Coal Of Talcher Seams Of Bharatpur OCP & Balaram OCP	G 13
Lingaraj	Lingaraj OCP	Seam	Talcher -III	G 12
		Seam	Talcher -IVB	G 14
		Seam	Talcher -VIA	G 14
		Seam	Talcher -VIB	G 15
		MGR (LMGT-I)	Composite Grade Coal Of Talcher Seams Of Lingaraj OCP	G 13
		MGR (LMGT-II)	Composite Grade Coal Of Bhubaneswari OCP	G 12

[Handwritten Signature]

Area	Colliery	Seam/ Combined Seam/ Siding	Name of Seam	ROM (Sized)
				Grade
Hingula	Hingula OCP	Seam	Talcher -IX	G 14
	Balaram OCP	Siding-IX	Composite Grade Coal Of Hingula OCP & Balaram OCP	G 13
Kaniha	Kaniha OCP	MGR	Composite Grade Coal Of Talcher Seams Of Kaniha OCP	G 14
IB-Valley	Samaleswari OCP	LOCM-I	Coal Of Samleswari OCP	G 14
	Lajkura OCP	Seam	Lajkura	G 12
		Seam	Parkhani	G 15
		LOCM-III	Composite Grade Coal Of Seams Of Lajkura OCP	G 14
Lakhanpur	Lakhanpur OCP	Seam	Lajkura	G 14
		BOCM-I & II	Coal Of Lakhanpur OCP	G 14
		BOCM-III/ (UTLS)	Coal Of Lakhanpur OCP	G 14
		Lakhanpur MGR (CHHARLA)	Coal Of Lakhanpur OCP	G 14
Basundhara	Kulda OCP	Seam	Rampur -II	G 13 (P)
		Seam	Rampur -III	G 12
		Seam	Rampur -IV	G 15
		Combined Seam	Composite Grade Coal Of Rampur Seams & Lajkura Seams Of Kulda OCP	G 13
	Garjanbahal OCP	Seam	Rampur -II	G 14
		Seam	Rampur -III	G 14
		Combined Seam	Composite Grade Coal Of Rampur Seams Of Garjanbahal OCP	G 14
		Kanika	Composite Grade Coal Of Kulda OCP & Garjanbahal OCP	G 14 (P)

(Handwritten Signature)
10/2/21

Director Tech.(Operation)
(Signature of the Nominated Owner)
Name & Designation with Seal.

निर्देशक(संचालन)/DIRECTOR(T)(OPERATION)
महानदी कोलफील्ड्स लिमिटेड
MAHANADI COALFIELDS LIMITED
जाग्रुति विहार / JAGRUTI VIHAR
सम्बलपुर/SAMBALPUR - 768020

To
The Coal Controller,
Office of the Coal Controller,
Govt. of India, Ministry of Coal,
1, Council House Street, Kolkata - 700 001.

Cc : CMD, MCL, Burla.
DT(P&P), MCL, Burla.
OSD, CCO, Kolkata./OSD, CCO, Sambalpur.
Sri Peeyush Kumar, MoC, Shastri Bhawan, New Delhi.
GM, Jagannath, Bhubaneswari, Bharatpur, Lingaraj, Hingula, Kaniha, Basundhara, Lakhanpur & IB-Valley Area.
GM(QC) /GM(Prodn.) / GM(Fin-SA)/ GM (M&S), MCL.
GM (Sys), MCL- For uploading in MCL's website.

ମହାନଦୀ କୋଲ ଫିଲ୍ଡସ୍ ଲିମିଟେଡ୍
Mahanadi Coalfields Limited
(A subsidiary of Coal India Limited)

निदेशकतकनीकी(संचालन) का कार्यालय
DIRECTOR TECH. (OPERATION) SECRETARIAT
P.O : JagrutiVihar, Burla
Dist: Sambalpur, Odisha-768020
Ph: +91 (663) 254 2775
Fax: +91 (663) 254 2360
e-mail: dt-op.mcl@coalindia.in, dtopmcl@gmail.com
website:www.mcl.gov.in
CIN:U10102OR1992GOI003038



MCL

क्रमांकसंख्या: एम.सी.एल / मुख्यालय/निदेशकतकनीकी (संचालन) कार्यालय/20-21-43

दिनांक: 17/02/2021

ANNEXURE-I

Sub : Provisional Grade declaration of Sardega Siding 1 & 2 of Mahalaxmi Area and Kanika Siding of Basundhara Area of MCL for separate stacking & dispatch of G 13 & G 14 grades of coal.

In pursuance of provisions of sub-rule (2) of rule 4 of Colliery Control Rules, 2004 and sub-rule 2 of rule 18 B of Coal Mines (Conservation and Development) Amendment Rules 2011, I being the competent authority of the company, hereby provisionally declare the Coal Grade of Sardega Siding 1 & 2 of Mahalaxmi Area and Kanika Siding of Basundhara Area of MCL for separate stacking & dispatch of G 13 & G 14 grades of coal for the year 2020-21 to be effective from "00:00" Hours of 18.02.2021 in supersession of all previous declaration, if any:-

Area/ Colliery	Siding	Name of Seam	Fraction	Grade	Length of Platform for grade wise stacking with proper full-proof arrangement for separation (From East end of Platform)
Mahalaxmi/ Basundhara (W) OCP	Sardega Siding-1 (Platform No 1)	Composite Grade Coal of Rampur & Lajkura seams of Kulda OCP (G13)	ROM	G13 (P)	From East "0m to 180m" (180m)
		Combined mixture of Composite Grade Coal of Rampur seams of Garjanbahal OCP (G14) & Rampur seam of Basundhara (W) OCP (G14)	ROM	G14 (P)	From East "180m to 740m" (560m)
	Sardega Siding-2 (Platform No 2)	Composite Grade Coal of Rampur & Lajkura seams of Kulda OCP (G13)	ROM	G13 (P)	740m (full length)
Basundhara/ Garjanbahal OCP	Kanika	Coal of Manoharpur Coal Mine of M/s OCPL (G14)	ROM	G14	From East "0m to 250m" (250m)
		Composite Grade Coal of Rampur & Lajkura seams of Kulda OCP (G13)	ROM	G13 (P)	From East "250m to 400m" (150m)
		Composite Grade Coal of Rampur seams of Garjanbahal OCP (G14)	ROM	G14 (P)	From East "400m to 750m" (350m)

While stacking of different grades of coal at Sardega Siding 1 and Kanika Siding, clause 22 of "LAID DOWN PROCEDURE AND METHOD OF SAMPLING AND ANALYSIS OF COAL FOR THE PURPOSE OF DECLARATION AND MAINTENANCE OF GRADE OF COAL MINED IN A COLLIERY FOR 2020-21" shall be strictly followed.

(O.P. Singh)

Director Tech.(Operation).
(Signature of the Nominated Owner)
Name & Designation with Seal.

To
The Coal Controller,
Office of the Coal Controller,
Govt. of India, Ministry of Coal,
1, Council House Street, Kolkata – 700 001.

निदेशक(तं)(संचालन) / DIRECTOR(T) (OPNS)
महानदी कोलफील्ड्स लिमिटेड
MAHANADI COALFIELDS LIMITED
जाग्रुति विहार / JAGRUTI VIHAR
सम्बलपुर/SAMBALPUR - 768020

Cc : CMD, MCL, Burla.
DT(P&P), MCL, Burla.
OSD, CCO, Kolkata./OSD, CCO, Sambalpur.
Sri Peeyush Kumar, MoC, Shastri Bhawan, New Delhi.
GM, Basundhara & Mahalaxmi Area.
GM(QC) /GM(Prodn.) / GM(Fin-SA)/ GM (M&S), MCL.
GM (Sys), MCL- For uploading in MCL's website.