(M) H-NOC/4235 gran'

Tel.: 2564033/2563924 EPABX: 2561909/2562847 E-mail: Paribesh@sancharnet in website: www.ospcboard.org

STATE POLLUTION CONTROL BOARD, ORISSA

Paribesh Bhawan, A/118, Nilakanthanagar, Unit - VIII.

Bhubaneswar - 751 012, INDIA

IND-H NOC 4735

BY REGD. POST.

OFFICE MEMORANDUM

In consideration of the application for obtaining consent to Establish for M/s. Kaniha Open Cast Project of MCL the State Pollution Control Board has been pleased to convey its consent to establish under section 25 of Water (Prevention & Control of Pollution) Act, 1974 & Sec.21 of Air (Prevention & Control of Pollution) Act, 1981 for manufacture / production enhancement of Coal of Quantity up to 10.0 Million Tones per year over Mining lease area 1880 hectare at Jarada PO: Kansamunda in the district of Angul. With the rollowing conditions.

GENERAL CONDITIONS:

1. This consent to establish is valid for the product, quantity manufacturing process and raw materials as mentioned in the application and for a period of five years from the date of issue of this letter, provided commendement of production of the proposed project has not taken place in the meantime

2. If the proponent fails to start operation of the project but substantial physical progress has been made then a renewal of this consent shall be sought by the proponent.

3. If the proponent fails to initiate construction of the project and no significant physical progress is made then the proponent has to apply for consent to establish afresh after expiry of 5 years from the date of issue of this order.

4. Adequate effluent treatment facilities are to be provided such that the quality of sewage and trade effluent satisfies the standards as prescribed under Environment Protection Rule, 1986 or as prescribed by the Central Pollution Control Board and/or State Pollution Control Board or otherwise stipulated in the special conditions.

5. All emission from the industry as well as the ambient air quality and noise are to conform to the standards as laid down under Environment Protection Rule, 1986 or as prescribed by Central Pollution Control Board/State Pollution Control Board or otherwise stipulated in the special conditions.

6. Adequate method of disposal of solid waste is to be adopted to avoid environmental pollution.

7. The Industry is to comply to the provisions of Environment Protection Act, 1986 and the rules made there under with their amendments from time to time such as the Hazardous Waste (Management & Handling) Rules, 1989, Hazardous Chemical / Manufacture, Storage and Import Rules, 1989 etc. The industry is also to comply to the provisions of Public Liability Insurance Act, 1991, if applicable.

8. The industry is to apply for grant of consent to operate under section 25/26 of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 at least 3 (three) months before the commercial production and obtain consent to operate.

9. This consent to establish is granted subject to other statutory clearances from Govt. of Orissa and/or Govt. of India, as and when applicable.



SPECIAL CONDITIONS:

This Consent to establish is granted subject to grant of Environmental clearance from Ministry Environment & Forests Coyl of India.

No change in mining technology and scope of working shall be indeed prior approval of the Board.

Top soil should be stacked properly with proper slope at earmarked site(s) with adequate measures and shall be used for reclamation and rehabilitation of mined out areas.

Concurrent back-filling should be started as prescribed under Mine Plan.

Monitoring and management of rehabilitated areas should continue until the

Monitoring and management of rehabilitated areas should continue and vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests with a copy to the Board on yearly basis. Dimension of the retaining wall at the toe of dumps and OB benches within the

5. Dimension of the retaining wall at the toe of dumps and OB benches with the based on the rainfall data. The detail specification shall be worked out and submitted to the Board.

6. A green belt of adequate width shall be raised for suppression of dust by planting the native species around to ML area, roads, OB dump sites, etc., in consultation with the local DFO/Agriculture Department.

7. Reclamation, programme along with the post closure plan is to be submitted within 06 months from the date of issue of this order.

8. Catch drains, and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from soil. OB and mineral dumps. The drains should be regularly desilted and maintained properly.

9. Garland drains (size, gradient and length) and sump capacity should be designed keeping! 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the miné site. Sump capacity should also provide adequate retention period to allow proper settling of silt material.

Regular monitoring of ground water level and quality should be carried out by establishing a network of existing wells. The monitoring should be done four times a year in pre-monsoon (April/May), monsoon (August), post-monsoon (November) and winter (January) seasons. Data thus collected should be submitted to the Board quarterly.

11. Sewage Treatment Plant should be installed for the treatment of domestic effluent generated from the colony and mines so as to meet the prescribed standard of the Board for discharge to inland surface water.

12. Wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform the prescribed standard pH = 5.5 - 9, SS = 100 mg/l, O & G = 10 mg/l and Nitrate Nitrogen = 10 mg/l or as amended from time to time. Oil and grease trap shall be installed before discharge of effluents from workshop.

13. Mine drainage water, shall be treated in Mine drainage water treatment plant and disposed of after conforming to the standard prescribed by the Board i.e pH = 5.5 - 9.0, Total S.S = 100 mg/l, O & G = 10 mg/l, and other parameters conforming to standards for discharge to inland surface water as prescribed under EP Act 1986.

14. Rain water harvesting practice shall be followed by utilizing the rain water collected from the roof of the buildings for recharging of ground water within the premises and other large structures as per the concept and practices prescribed by CPCB, New Delhi and details of which is available in the web-site.

15. Drill should be wet operated or with dust extractors and controlled blasting should be

practiced.

Six ambient air quality monitoring stations for 24 hours operation should be established in the core zone as well as in the buffer zone for RPM, SPM, SO₂, NO_x, and CO monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board.

6 16



Data on ambient air quality (RPM, SPM, SO₂, NO_x& CO) shall be regularly submitted 17. to the State Pollution Control Board ande in six Fronthe 3 万元水

Adequate measures to control fugitive emission shall be taken; during loading & transportation of minerals, haul roads etc. Fixed spripklers shall be installed on the 18. side of the haul road for suppression of fugitive dust and hours

The haul roads and arterial roads shall be made black topped / concrete with avenue plantation. Appropriate plan to this effect shall be submitted to the Board within a 19

Adequate dust suppression measures shall be taken at 60ap handling plants by 20. installation of appropriate dust extraction abut dust supplession equipments.

Adequate measures shall be taken for control of noise levels below 85 dB(A) in the 21. Director Mines, Bhubaneswirt work environment.

Project authority shall undertakgi sample survey, to penerate data on pre-project 22 community health status within a radius of 1 km, fipm, proposed mine. The report shall be submitted within 06 menths from the date of this order.

Consent to operate shall be obtained from State Pollution Control Board before 23

commencing the mining activities.

Environmental laboratory should be established with adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board.

A separate environmental management cell with suitable qualified personnel should 25. be set up under the control of a Senior Executive, who will report directly to the Head of the Organization.

The above conditions will be enforced, inter-allia, under the provisions of the Water. (Prevention & Control of Pollution) Act, 1974 the Air (Prevention & Control of 26. Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

All efforts shall be taken to protect the existing water bodies in the surrounding. A 27 definite plan in this regard shall be submitted to the Board within 06 months from the date of Issue of this order.

The Mine shall carry out plantation activities selecting the specific species such as 28. fruit bearing and economical trees in the back filling area and OB dumps.

The haulage roads shall be black topped and trucks transporting coal from mining 29. area shall be covered properly to minimize fugitive emission in the area.

The Board may impose further condition or modify the conditions are stipulated in 30. this order during installation and / or at the time of obtaining consent to operate and may revoke this order in case the stipulated conditions are not implemented and/or information is found to have been suppressed / wrongly furnished in the application form.

The mine shall abide by all the provisions of EP Act, 1986 and rules framed there 31.

The unit shall abide by the recommendation made in the Public Hearing held on 32. dtd.16.05.2006.

The mine shall obtain forest clearance under Forest (Conservation) Act, 1980 if there 33. is involvement of forestland in the mining lease area.

MEMBER SECRET