p. 1 1/4

FOR! - G.M. CENVIPONMENTO, M.C.L.

No.)-11015/224/2005-IA.II(M) Government of India Ministry of Environment & Forests

> Paryavaran Bhawan, C.G.O.Complex, Lodi Road, New Delhi -110003.

> > Dated: 27th March 2006

To
General Manger (CP & P), /576
M/s Mahanadi Coalfields Ltd.,
At PO: Jagruti Vihar,
Burla, Dist. Sambalpur – 768020,
ORISSA

Sub: Bharatpur Opencast (Epxn.) Project (3.5 MTPA to 15 MTPA) of M/s Mahanadi Coalfields Ltd. (MCL), in villages Anantaberini, Lachmanpur, Baldeswar, Chantamanipur, Padmabatipur, Dasarathipur, Danara, Rakas, Nakeipasi, Kuiojungle, and Kochinall, Tehsil Talcher, District Angul, Orissa- enviornemntal Sir,

This has reference to Coal India Ltd.'s letter No. CIL/DLI/ENV/2005/83 dated 13.06.2005 forwarding your application and your letters dated 07.12.2005 and 08.03.2006 on the above-mentioned subject. The Ministry of Environment & Forests has considered your application. It also been noted that the project is for expansion of the existing Bhartapur Opencast Coal Project in terms of production capacity from 3.5 MTPA to 15 MTPA and increase in lease area from 1133.18 ha to 1324.80 ha. The total land requirement of the project is 1386.20 ha of which 1324.80 ha is mine lease area, 20 ha is for residential area and 41.40 ha is for resettlement colony. Of the total mining lease area of 1324.80 ha. 61.50 ha is agricultural land, 185.08 ha is forestland, 490 ha is wasteland, 2.40 ha is surface water bodies and 58.82 ha is others (including mine volds for filling flyash, safety zone). Forestry clearance has been obtained on 26.11.1991 for 71.64 ha. A number of Reserve Forests (RF) are found within and adjoining the lease and within 10km of the core zone. There are no National Parks, Wildlife Sanctuary, Biosphere Reserves found in the 10 km buffer rone. It is noted that the project falls in the Angul-Talcher Region, which has been identified as one of the critically polluted areas in the country. Bangaru Jhar, which forms a part of the River Brahmani, flows adjoining the ML boundary. It is not proposed to modify the existing drainage. The project involves R&R of 17 villages, which are nearly complete. Of the total lease area, area for excavation is 774.80 ha, 49.50 uh si for Ob dumps, 149.30 ha is for infrastructure, 8.4 ha is for rationalisation of project boundary and 342.80 ha is for others (safety zone for blasting). Mining will be opençast by mechanised method and involves drilling and blasting. Expansion of the rated capacity of the mine is from 3.5 million tonnes per annum (MTPA) to 15 MTPA of coal production. Mineral transportation of 25,454 TPD of coal is by rail and 20,000 TPD is by conveyors and by MGR covering a distance of 56 km and 44 km respectively. Ultimate working depth of the mine is 159m below ground level (bgl). Water table is in the range of 2.87 m - 9.19 m bgl in the core zone and 0.895 m - 12.97 m bgl in the buffer zone. Peak water requirement is 1930 m3/d of which 810 m3/d is met from Integrated Water Supply Scheme from River Brahmani and 1120 m3/d is to be met from mine sump water. The entire amount of OB of 272.68 Mm3, estimated to be generated over the balance life of mine will be backfilled. OB accumulated have been stored in 5 external OB dumps and reclaimed. Public Hearing was held on 18.02.2005. Life of mine at the rated capacity of 15 MTPA is 22 years. The project has been approved by M/s MCL on 02.11.2005 for expansion to 15 MTPA. The capital cost of the project is 302.86 crores.

2. The Ministry of Environment & forests hereby accords environmental clearance for the above-mentioned Bharatpur Opencast (Expansion) Coal Project of M/s MCL for expansion in production of coal to 15 MTPA rated capacity and increase in total lease area to 1324.80

ha under the provisions of the Environmental Impact Assessment Notification, 1994 and subsequent amendments thereto subject to the compliance of the terms and conditions mentioned below:

## A. Specific Conditions

- (i) Mining in forest area shall be restricted only to the portion of forestland for which the necessary forestry clearance/permission under the provisions of the FC Act, 1980 has been obtained.
- (ii) Topsoil should be stacked properly with proper slope at earmarked site(s) and should not be kept active and shall be used for reclamation and development of green belt.
- (iii) OB shall be simultaneously backfilled in the decoaled area. Monitoring and management of existing reclaimed dumpsites should continue until the vegetation becomes self-sustaining. Compliance status should be submitted to the Ministry of Environment & Forests and its Regional office located at Bhubaneshwar on yearly basis.
- (iv) Catch drains and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from soil, OB and mineral dumps. The water so collected should be utilised for watering the mine area, roads, green belt development, etc. The drains should be regularly desilted and maintained properly.

Garland drains (size, gradient and length) and sump capacity should be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity should also provided adequate retention period to allow proper settling of silt material.

- (v) Dimension of the retaining wall at the toe of the dumps and OB benches within the mine to check run-off and siltation should be based on the rainfall data.
- (vi) Crushers at the CHP should be operated with high efficiency bag filters, water sprinkling system should be provided to check fugitive emissions from crushing operations, conveyor system, haulage roads, transfer points, etc.
- (vii) Drills should be wet operated or with dust extractors and operated only during daytime.
- (viii) Controlled blasting should be practiced with use of delay detonators. The mitigative measures for control of ground vibrations and to arrest the fly rocks and boulders should be implemented.
- The area that shall be brought under afforestation covers a total area 841.87 ha, shall include external OB dump and backfilled area covering an area of 753.32 ha, along ML boundary for an area of 86.55 ha, and along roads covering a total a total road length of 30.18 km and 2 has area in township outside the lease by planting native species in consultation with the local DFO/Agriculture Department. The density of the trees should be around 2500 plants per ha.
- (x) A Progressive Closure Plan shall be implemented and OB generated shall be simultaneously backfilled.
- Regular monitoring of groundwater level and quality should be carried out by establishing a network of exiting wells and construction of new peizometers. The monitoring for quantity should be done four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected should be submitted to the Ministry of Environment & Forests and tot eh Central Pollution Control Board quarterly within one month of monitoring.

١,

- (xii) The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource. The project authorities should meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.
- (xiii) Sewage treatment plant should be installed in the existing colony. ETP should also be provided for workshop and CHP wastewater.
- (xiv) Digital processing of the entire lease area using remote sensing technique, should be done regularly once in 3 years for monitoring land use pattern and report submitted to MOEF and its Regional office at Bhubaneshwar.
- (xv) A Final Mine Closure Plan along with details of Corpus Fund should be submitted to the Ministry of Environment & Forests 5 years in advance of final mine closure for approval.
- (xvi) Consent to Operate shall be obtained before expanding mining operations.

## B. General Conditions

ت تان بان ر

が、 これのでは、 これので

- (i) No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment and Forests.
- (II) No change in the calendar plan including excavation, quantum of mineral coal and waste should be made.
- (III) Four ambient air quality monitoring stations should be established in the core zone as well as in the buffer zone for SPM, RPM, SO2 and NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board.
- (iv) Data on amblent air quality (SPM, RPM, SO2 and NOx) should be regularly submitted to the Ministry including its Regional Office at Bhubaneshwar and to the State Pollution Control Board and the Central Pollution Control Board once in six months.
- (v) Fugitive dust emissions from all the sources should be controlled regularly monitored and data recorded properly. Water spraying arrangement on haul roads, wagon loading, dump trucks (loading and unloading) points should be provided and properly maintained.
- (vi) Adequate measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc. should be provided with ear plugs/muffs.
- (vii) Industrial wastewater (workshop and wastewater from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31th December 1993 or as amended from time to time before discharge. Oil and grease trap should be installed before discharge of workshop effluents.
- (viii) Vehicular emissions should be kept under control and regularly monitored. Vehicles used for transporting the mineral should be covered with tarpaulins and optimally loaded.
- (ix) Environmental laboratory should be established with adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board.
- (x) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.

  Occupational health surveillance programme of the workers should be undertaken

periodically to observe any contractions due to exposure to dust and to take corrective

,

B-4/4.

measures, If needed.

- A separate environmental management cell with suitable qualified personnel should be set up under the control of a Senior Executive, who will report directly to the Head of the company. (xi)
- The funds earmarked for environmental protection measures should e kept in separate account and should not be diverted for other purpose. Year-wise expenditure should be (iix) reported to this Ministry and its Regional Office at Bhubaneshwar.
- A copy of the will be marked to concerned Panchayat/ local NGO, if any, from whom any suggestion/representation has been received while processing the proposal. (xiii)
- State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days. (xiv)
- The Project authorities should advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned (xv)within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the ministry of Environment & Forests at http://envfor.nic.in.
- The Ministry or any other competent authority may stipulate any further condition for environmental protection.
- Fallure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract the provisions of the Environment (Protection) Act, 1986.
- The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and Rules.

(Dr.T.Chandini) Additional Director

Copy to:

- Secretary, Ministry of Coal, New Delhi. 2. Secretary, Department of Environment & Forests, Government of Orissa, Secretariat,
- 3. Chief Conservator of Forests, Regional office (EZ), Ministry of Environment & Forests, A-31, Chandrashekarpur, Bhubaneshwar - 751023.
- 4. Chairman, Orissa State Pollution Control Board, Parivesh Bhawan, A/118, Nilkanthanagar, Unit VIII, Bhubaneshwar - 751012.
- 5. Chairman, Central Pollution Control Board, CBD-cum-Office Complex; East Arjun Nagar, New
- 6. Member-Secretary, Central Ground Water Authority, Ministry of Water Resources, Curzon Road Barracks, A-2, W-3 Kasturba Gandhi Marg. New Delhi.
- 7. Shri M.K. Shukla, CGM, Coal India Limited, SCOPE Minar, Core-I, 4t Floor, Vikas Marg, Laxminagar, New Delhi.
  - 8. District Collector, Angul, Government of Orissa, New Delhi.
  - 10. Guard File 11. Record File Monitoring File