

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687700469159

अनुबंध तिथि | Generated Date : 28-Oct-2025

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2025/B/6429987](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्रकार   Type : Central PSU मंत्रालय   Ministry : Ministry of Coal विभाग   Department : COAL INDIA LIMITED संगठन का नाम   Organisation Name : Mahanadi Coalfields Limited कार्यालय क्षेत्र   Office Zone : MCL Sambalpur Odisha	पद   Designation : Shivendra Vyas Asst Manager MM संपर्क नंबर   Contact No. : -9549295368- ईमेल आईडी   Email ID : mmpur1d.mcl@coalindia.in जीएसटीआईएन   GSTIN : - पता   Address : MAHANADI COALFIELDS LIMITED, PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval : GM(MM/HoD) वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : Sr.M(AF/MM)	Role: PAO भुगतान का तरीका   Payment Mode: Internet Banking पद   Designation : B Narasimha AM F ईमेल आईडी   Email ID : nb.basanaboina@coalindia.in जीएसटीआईएन   GSTIN : 21AABCM5188P1Z3 पता   Address : MAHANADI COALFIELDS LIMITED, AT /PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : 3596180000650736 कंपनी का नाम   Company Name : EVEREST PHARMA AGENCIES संपर्क नंबर   Contact No. : 09437002011 ईमेल आईडी   Email ID : ganesh_everest@yahoo.com पता   Address : 1C,ARIHANT NIWAS,JAY DURGA NAGAR,BOMIKHAL, Khurda (khordha), ODISHA-751006, - एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-OD-19-0001739 जीएसटीआईएन   GSTIN : 21AABFE2092H1ZX (R)

खरीदार द्वारा सत्यापित एमएसएमई स्थिति   MSME Status as verified by buyer : Not Verified
एमएसई सामाजिक श्रेणी   MSE Social Category : General
एमएसई लिंग श्रेणी   MSE Gender : Male

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : CAPILLARYS SEBIA Hemoglobinopathy Analyzer ब्रांड   Brand : CAPILLARYS SEBIA ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : HBA1C/Hemoglobinopathy Analyzer (Q2) मॉडल   Model: 1232 एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	3,381,000	NA	3,381,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						3,381,000

परोक्षी विवरण   Consignee Detail						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By

1	<p>पद   Designation :-  ईमेल आईडी   Email ID : kunachandra.polai@nic.in  संपर्क   Contact : 0663-2542560-  जीएसटीआईएन   GSTIN : 21AABCM5188P1Z3  पता   Address : Anand Vihar Hospital, At/Po: Jagriti Vihar, Burla,  Sambalpur-768020,  Sambalpur, ODISHA-768020, India</p>	CAPILLARYS SEBIA Hemoglobinopathy Analyzer	-	1	28-Oct-2025	27-Dec-2025
---	---	--	---	---	-------------	-------------

### Product Specification for CAPILLARYS SEBIA Hemoglobinopathy Analyzer

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Standards	Certification for product	EU CE
	Certification number and date	ENR-AFR-07-2020-047 AND 24/07/2020
	Conformity to Manufacturing Standards	ISO 9001 & ISO 13485
	Confirming Standards for Electrical Safety	IEC- 60601 with latest amendments or BIS equivalent
Performance Parameters	Type of technology	CAPILLARY TECHNOLOGY
	Configuration and usage of the system	Automated & Integrated system for testing and screening of HbA1c, Thalassemia and Hemoglobinopathy as specified in the category parameters
	Hemoglobins which can be screen and quantitated	HBA, HBA2, HbF, HbA1C
	System has ability to detect the most commonly occurring abnormal hemoglobins like Hb S, Hb D, Hb E, Hb C, Hb Q-India	Yes
	Detection of rare abnormal hemoglobin	Yes
	System shall be supplied with complete ready to use kit with all the buffers to run the system	Yes
	Sample volume required in ml	1
	Sample Throughput time in minutes	9
	Number of samples the Analyser is capable to analyse (minimum), concurrently	28
	Equipment shall be supplied with an offline digital library database with more than 200 chromatograms of fully classified abnormal hemoglobins and thalassemia	Yes
	System have standards for instruments calibrations ensuring accurate quantitation of results	In - kit/external
	Type of pump with programmable solvent delivery system	Pneumatic pump
	Availability of a bi-directional Laboratory Interface System (LIS)	Yes
	Alarm Facility	Have a visible alarm system for low buffer in the mobile phase reservoirs, low level value for cartridge injections and overflow for the waste tank, as well as built in alarms for calibration failure
	System is capable of positive sample identification using a Barcode reader after processing is completed	Yes
	System have an inbuilt system check facility which checks that all the system parameters (eg, cartridge, buffer, reagent, waste etc) are ready before the sample analysis	Yes
	System the facility of primary tube sampling and direct dilution of the samples without manual intervention	Yes
	System have a dual program mode to perform either HbA1c or HbA2/Hb F/HbA (applicable if both HBA1C and HBA2/HbF/HbA is available)	Yes
	Changing of reagents in dual mode	System require changing of reagents while switching from HbA1c to HbA/HbA2/Hb F/ testing mode
	System should be able to detect correct A1c values in presence of abnormal Hemoglobin variants like HbD, HbE, HbS & HbC	Yes
System offers both NGSP & IFCC value reporting on the same patient report	Yes	
Has facility to print a hard copy report giving identification and information on the subtype and quantity of hemoglobins detected, to view current and stored chromatograms/Electrophorogram & should enable storage of chromatograms / Electrophorogram	Yes	
Printer	External	
Type of printer	Laser	
System to supplied with Seller's commitment to provide normal & abnormal controls for Hb A2, Hb F, Hb S & HBA1C as applicable for supplied model & provide quality control program to help compare results	Yes	

	Availability of external quality assurance service (EQAS) for Hemoglobin variants and offline library of chromatograms for result interpretation	Yes
	Availability of Software and capability for real time viewing of the analysis of the sample	Yes
Data Management System Parameters	Data management system	PC Based
	Hard disk provided	80 GB or more
	Screen size in inches	14
	Display	LED
	USB port	2
	Connectivity to internet	Yes
Miscellaneous Parameters	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1
	System is NGSP (National Glycohemoglobin Standardisation Program) Certified and traceable to IFCC reference method	Yes
	Number of installations in Central /State/PSU Govt Hospitals ( Hint: Seller should supply a performance certificate of the device to the buyer incase demanded after placement of order)	Upto 3
	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes
	User/Technical/Maintenance manuals to be supplied in English in hard and soft copy	Yes
	Installation and demonstration of equipment and training to be provided after completing supplies before acceptance	Yes
	The Principal Manufacturer must have direct Presence/approved service center In India	Yes
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes

#### शुद्धिपत्र | Corrigendum

#### ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक   Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	5.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा | The bidder shall furnish ePBG as applicable as per bid's terms and conditions

#### नियम और शर्तें | Terms and Conditions

##### 1. Special terms and conditions- Version:2 effective from 15-11-2022

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
  - The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
  - The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
  - Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
  - Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
  - Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
  - Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any

other relevant details.

8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. Software: All software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

## 2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

## 3. Buyer Added Bid Specific Terms and Conditions-

### 3.1 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

### 3.2 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

### 3.3 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

Note: Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.