

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687715083148

अनुबंध तिथि | Generated Date : 15-Sep-2025

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2025/B/5846008](#)

अनुसूची नाम | Schedule Name: Schedule 7, Schedule 8

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : Central PSU मंत्रालय   Ministry : Ministry of Coal विभाग   Department : COAL INDIA LIMITED संगठन का नाम   Organisation Name : Mahanadi Coalfields Limited कार्यालय क्षेत्र   Office Zone : MCL Sambalpur Odisha	पद   Designation : Deputy Manager संपर्क नंबर   Contact No. : -9437568790- ईमेल आईडी   Email ID : mmpur1c.mcl@coalindia.in जीएसटीआईएन   GSTIN : - पता   Address : MAHANADI COALFIELDS LIMITED, PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: GM(MM)/HOD वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: Sr. Mgr (Finance)	भुगतान का तरीका   Payment Mode: Internet Banking पद   Designation : S M KUMAR MGR FIN ईमेल आईडी   Email ID : sm.kumar7954@coalindia.in जीएसटीआईएन   GSTIN : 21AABCM5188P1Z3 पता   Address: MAHANADI COALFIELDS LIMITED, AT /PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

विक्रेता विवरण   Seller Details	
जेम विक्रेता आईडी   GeM Seller ID :	EA38200001199702
कंपनी का नाम   Company Name :	NEELKANTH RUBBER MILLS
संपर्क नंबर   Contact No. :	09814122329
ईमेल आईडी   Email ID :	info@neelrub.com
पता   Address :	VARYANA, Kapurthala Road, V.P.O VARYANA, Jalandhar, PUNJAB-144013, -
एमएसएमई पंजीकरण संख्या   MSME Registration number :	UDYAM-PB-10-0006533
जीएसटीआईएन   GSTIN:	03AAAFN6433A1Z0 (R) , (M)
खरीदार द्वारा मूल्यांकित एमआईआई स्थिति   MII Status as evaluated by buyer :	Verified
खरीदार द्वारा सत्यापित एमएसएमई स्थिति   MSME Status as verified by buyer :	Verified
एमएसई सामाजिक श्रेणी   MSE Social Category :	General
एमएसई लिंग श्रेणी   MSE Gender :	Male

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : Neelkanth Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month ब्रांड   Brand : Neelkanth ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Conveyor and Elevator Textile Belting (Fire Resistant Belting for Surface Application) as per IS 1891 (Q3) मॉडल   Model: MCL 1400 800 4 5 3 FR एचएसएन कोड   HSN Code: 40101290	1,000	meter	3,742.99	NA	3,742,990
2	उत्पाद का नाम   Product Name : Neelkanth Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month ब्रांड   Brand : Neelkanth ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Conveyor and Elevator Textile Belting (Fire	400	meter	5,486.49	NA	2,194,596

Resistant Belting for Surface Application) as per IS 1891 (Q3)												
मॉडल   Model: MCL 1800 1000 5 3												
एचएसएन कोड   HSN Code: 40101290												
कुल ऑर्डर मूल्य   Total Order Value (in INR)										5,937,586		
<b>परोषिती विवरण   Consignee Detail</b>												
क्र.सं.   S.No	परोषिती   Consignee						वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By	
1	पद   Designation :- ईमेल आईडी   Email ID : depot-off-jaga.mcl@coalindia.in संपर्क   Contact : 0094-38073316- जीएसटीआईएन   GSTIN : 21AABCM5188P1Z3 पता   Address : Office of the Depot Officer, Central/Regional Stores, Jagannath /Area, P.O. Balanda, ANGUL, ODISHA-759116, India						Neelkanth Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month	-	600	15-Sep-2025	13-Jan-2026	
							Neelkanth Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month	-	400	15-Sep-2025	13-Jan-2026	
2	पद   Designation :- ईमेल आईडी   Email ID : depot-off-lkpa.mcl@coalindia.in संपर्क   Contact : 094-38493852- जीएसटीआईएन   GSTIN : 21AABCM5188P1Z3 पता   Address : Office of the Chief General Manager, Mahanadi Coalfields Limited, Lakhanpur Area, At/PO Bandhbahal, Via, Belpahar, JHARSUGUDA, ODISHA-768211, India						Neelkanth Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month	-	400	15-Sep-2025	13-Jan-2026	
<b>Product Specification for Neelkanth Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month</b>												
विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec						मूल्य   Value					
Item	Item						Conveyor and Elevator Textile Belting (Fire Resistant Belting For Surface Application)					
Specification	Conformity to Specification						IS 1891 (Part 5) latest					
	Product is BIS marked						No					
Grade	Grade of Rubber Cover						Fire Resistant anti-static (FRAS)					
	Type Number of Belt						800					
Design	Minimum Troughing Angle (in °C)						35°C					
Material	Fabric Designation						Nylon/Nylon (NN)					
	Cotton Carcass						NA					
	Ducks of Types						NA					
	Type of Ply Fabric						Woven fabric					
	Material of Cover						Rubber					
	Type of Carcass Protection Layer						Open Mesh Fabric					
	Type of Edge						Open Edges For External Plies					
	Material of Top cover Belt						Natural Rubber (NR)(Fire Resistant Belting)					
	Material of Bottom cover Belt						Natural Rubber (NR)(Fire Resistant Belting)					
Dimension	Width of Belt (In MM)						1400					
	Top Cover Thickness of Belt (In MM)						5					
	Bottom Cover Thickness of Belt (In MM)						3					
	Single Ply Carcass Thickness (In MM)						1.5					
	Number of Fabric Ply (In MM)						4					
	Carcass Thickness in Belt (In MM)						6.2					
	Length of Conveyor Belt(In Metre)						200					
Warranty	Warranty (In month)						24					
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification						Yes					

Test Report	Test Report No	24RP7145N_1
	Test Report Date	9-02-2024
	Name of the Lab	NTH, KOLKATA
	Address of the Lab	SALT LAKE
	Test Report to be furnished to the buyer on demand	YES
<p><b>खरीदार परिभाषित अतिरिक्त विशेषता के लिए   Buyer Defined Additional Specification for Neelkanth Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month</b></p>		
<b>विनिर्देश   Specification</b>		<b>मूल्य   Value</b>
Availability of Test Report from Central Govt/ NABL/ ILAC accredited lab to prove conformity to specification		Yes
Grade of Rubber Cover		Fire Resistant anti-static (FRAS)
Detailed / additional Technical Specifications		Please refer to the Buyer Added Bid Specific ATC
<p><b>Product Specification for Neelkanth Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month</b></p>		
<b>विनिर्देश   Specification</b>	<b>उप-विनिर्देश   Sub-Spec</b>	<b>मूल्य   Value</b>
Item	Item	Conveyor and Elevator Textile Belting (Fire Resistant Belting For Surface Application)
Specification	Conformity to Specification	IS 1891 (Part 5) latest
	Product is BIS marked	No
Grade	Grade of Rubber Cover	Fire Resistant anti-static (FRAS)
	Type Number of Belt	1000
Design	Minimum Troughing Angle (in °C)	35°C
Material	Fabric Designation	Nylon/Nylon (NN)
	Cotton Carcass	Frictioned
	Ducks of Types	NA
	Type of Ply Fabric	Woven fabric
	Material of Cover	Rubber
	Type of Carcass Protection Layer	Open Mesh Fabric
	Type of Edge	Open Edges For External Plies
	Material of Top cover Belt	Natural Rubber (NR)(Fire Resistant Belting)
Material of Bottom cover Belt	Natural Rubber (NR)(Fire Resistant Belting)	
Dimension	Width of Belt (In MM)	1800
	Top Cover Thickness of Belt (In MM)	5
	Bottom Cover Thickness of Belt (In MM)	3
	Single Ply Carcass Thickness (In MM)	2
	Number of Fabric Ply (In MM)	4
	Carcass Thickness in Belt (In MM)	7.8
	Length of Conveyor Belt(In Metre)	200
Warranty	Warranty (In month)	24
Test Report	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test Report No	24RP7145N_1
	Test Report Date	9-02-2024
	Name of the Lab	NTH, KOLKATA
	Address of the Lab	SALT LAKE
	Test Report to be furnished to the buyer on demand	YES

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for Neelkanth Conveyor And Elevator Textile Belting (Fire Resistant Belting For Surface Application), Warranty 24 Month

विनिर्देश   Specification	मूल्य   Value
Type Number of Belt	1000
Top Cover Thickness of Belt (In MM)	5
Availability of Test Report from Central Govt/ NABL/ ILAC accredited lab to prove conformity to specification	Yes
Grade of Rubber Cover	Fire Resistant anti-static (FRAS)
Detailed / additional Technical Specifications	Please refer to the Buyer Added Bid Specific ATC

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक   Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	5.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा | The bidder shall furnish ePBG as applicable as per bid's terms and conditions

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

2. Buyer Added Bid Specific Terms and Conditions-

2.1 *Generic*

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 *Scope of Supply:*

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.3 *Generic*

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#).

2.4 *Certificates:*

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.5 *Buyer Added Bid Specific ATC:*

Buyer Added text based ATC clauses

1. The bidders are requested to go through the Buyer Uploaded ATC Document for documents submission details.
2. Technical specifications of conveyor belts will be as per Technical Parameter Sheet (refer Buyer uploaded ATC document). All bidders must be very careful while quoting for the tendered items. Any difference in Type number of Belt, Width of belt, Top & bottom cover thickness, number of Ply in GeM offered product sheet other than those mentioned in Technical Parameter Sheet uploaded in ATC may lead to cancellation of the offer. In case of any discrepancy, Technical specifications uploaded in ATC will prevail.
3. The Beneficiary Branch for the BG submitted against EMD/SD/PBG, preferably be the Bank Branch provided in the Buyer Uploaded ATC Document.
4. The bid governed by the GeM GTC, Buyer added bid specific ATC, CIL Purchase Manual 2020, and related laws, regulations

2.6 *Generic*

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

2.7 *Buyer Added Bid Specific ATC:*

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.