

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687785435526

अनुबंध तिथि | Generated Date : 02-Sep-2025

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/5605633](#)

अनुसूची नाम | Schedule Name: Schedule 4, Schedule 8, Schedule 6, Schedule 1, Schedule 2

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्रारूप   Type : Central PSU मंत्रालय   Ministry : Ministry of Coal विभाग   Department : COAL INDIA LIMITED संगठन का नाम   Organisation Name : Mahanadi Coalfields Limited कार्यालय क्षेत्र   Office Zone : MCL Sambalpur Odisha	पद   Designation : Deputy Manager संपर्क नंबर   Contact No. : -9437568790 ईमेल आईडी   Email ID : mmpur1c.mcl@coalindia.in जीएसटीआईएन   GSTIN : - पता   Address : MAHANADI COALFIELDS LIMITED, PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval : GM(MM)/HOD वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : Sr. Mgr(Fin)	Role: PAO भुगतान का तरीका   Payment Mode: Internet Banking पद   Designation : DEEPAK KUMAR BURMA MGR FIN ईमेल आईडी   Email ID : dkburma@coalindia.in जीएसटीआईएन   GSTIN : 21AABCM5188P1Z3 पता   Address : MAHANADI COALFIELDS LIMITED, AT /PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : 997A180000104033 कंपनी का नाम   Company Name : HYPHEN CABLES PRIVATE LIMITED संपर्क नंबर   Contact No. : 09999966639 ईमेल आईडी   Email ID : info@hyphencables.com पता   Address : H-1211, DSIDC INDL. PARK, NARELA, Narela, DELHI-110040, - एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-DL-06-0012372 जीएसटीआईएन   GSTIN : 07AACCH0030N1ZU (B), (M), (R)
खरीदार द्वारा मूल्यांकित एमआईआई स्थिति   MII Status as evaluated by buyer : Verified खरीदार द्वारा सत्यापित एमएसएमई स्थिति   MSME Status as verified by buyer : Verified एमएसई सामाजिक श्रेणी   MSE Social Category : General एमएसई लिंग श्रेणी   MSE Gender : Male

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 95 Sq mm ब्रांड   Brand : HYPHEN CABLE ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1) (Q2) मॉडल   Model : 4 Cx 95 sqmm Armd LT PVC Cable upto 1.1Kv IS:1554 एचएसएन कोड   HSN Code : 85446020	4,000	meter	387.22	NA	1,548,880
2	उत्पाद का नाम   Product Name : HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 400 Sq mm ब्रांड   Brand : HYPHEN CABLE ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : PVC Insulated (Heavy Duty) Electric Cables (V2)	5,550	meter	1,490	NA	8,269,500

	as per IS 1554 (Part 1) (Q2) मॉडल   Model: 4 Cx 400 sqmm Armd LT PVC Cable upto 1.1Kv IS:1554 एचएसएन कोड   HSN Code: 85446020					
3	उत्पाद का नाम   Product Name : HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 185 Sq mm ब्रांड   Brand : HYPHEN CABLE ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1) (Q2) मॉडल   Model: 4 Cx 185 sqmm Armd LT PVC Cable upto 1.1Kv IS:1554 एचएसएन कोड   HSN Code: 85446020	700	meter	755	NA	528,500
4	उत्पाद का नाम   Product Name : HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 35 Sq mm ब्रांड   Brand : HYPHEN CABLE ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1) (Q2) मॉडल   Model: 4C x 35 sqmm Armd LT PVC Cable upto 1.1Kv IS:1554 एचएसएन कोड   HSN Code: 85446020	13,800	meter	159	NA	2,194,200
5	उत्पाद का नाम   Product Name : HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 50 Sq mm ब्रांड   Brand : HYPHEN CABLE ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1) (Q2) मॉडल   Model: 4 Cx 50 sqmm Armd LT PVC Cable upto 1.1Kv IS:1554 एचएसएन कोड   HSN Code: 85446020	8,800	meter	212	NA	1,865,600
कुल ऑर्डर मूल्य   Total Order Value (in INR)						14,406,680

**परोषिती विवरण | Consignee Detail**

क्र.सं.   S.No	परोषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation :- ईमेल आईडी   Email ID : manojprasad.p@coalindia.in संपर्क   Contact : -7708375903- जीएसटीआईएन   GSTIN :- पता   Address : Office of the Depot Officer, Central/Regional Stores, Jagannath /Area, P.O. Balanda, ANGUL, ODISHA-759116, India	HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 95 Sq mm	-	2,800	02-Sep-2025	31-Dec-2025
		HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 400 Sq mm	-	3,850	02-Sep-2025	31-Dec-2025
		HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 185 Sq mm	-	500	02-Sep-2025	31-Dec-2025
		HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 35 Sq mm	-	5,600	02-Sep-2025	31-Dec-2025
		HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 50 Sq mm	-	4,800	02-Sep-2025	31-Dec-2025
	पद   Designation :- ईमेल आईडी   Email ID : depot-off-lkpa.mcl@coalindia.in संपर्क   Contact : 094-38493852-	HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 95 Sq mm	-	1,200	02-Sep-2025	31-Dec-2025
		HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 400 Sq mm	-	1,700	02-Sep-2025	31-Dec-2025
		HYPHEN CABLE PVC				

2	जीएसटीआईएन   GSTIN : 21AABCM5188P1Z3 पता   Address : Office of the Chief General Manager, Mahanadi Coalfields Limited, Lakhanpur Area, At/PO Bandhbahal, Via, Belpahar, JHARSUGUDA, ODISHA-768211, India	Insulated (Heavy Duty) Electric Cables Aluminium 185 Sq mm	-	200	02-Sep-2025	31-Dec-2025
		HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 35 Sq mm	-	8,200	02-Sep-2025	31-Dec-2025
		HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 50 Sq mm	-	4,000	02-Sep-2025	31-Dec-2025

**Product Specification for HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 95 Sq mm**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
STANDARDS	PVC Insulated (Heavy Duty) Electric Cables conforming to	IS:1554 (Part 1): 1988 latest
	Working voltage	Upto and including 1100 Volts
	Product ISI Marked	Yes
	If, product ISI marked , BIS License number must declare	3061439
GENERIC	Nominal Area of Conductor (in Sq mm)	95
	Number of cores (in Nos)	4
	Material of conductor	Aluminium
	Type of Insulation	Type-A (General Purpose Insulation)
	Type of armouring	Galvanized steel formed wire (strip) armoured
	Type of outer sheath	Type-ST 1 (General Purpose Insulation)
	Improved fire performance category and type of the cable	1
CONSTRUCTION	Shape of conductor	Stranded
	Provision of fillers and inner sheath	as per Cl. 5 of IS:1554 (Part 1):1988 latest
	Color of the outer sheath	Black
	Identification on Cable	as per Cl. 17 of IS:1554 (Part 1):2011 latest
	Cable packing and marking	as per Cl. 18 of IS:1554 (Part 1):2011 latest
	Cable wound on	ISI Marked Wooden drum
	Drum standard	as per IS:10418 latest
	Additional requirement	Not applicable
CERTIFICATION	Availability of type test report from Govt Lab/ NABL/ ILAC to prove conformity of the specification	Yes as per IS:1554 Part 1 latest
	Availability of Optional Test Reports	Cold bend test,Cold impact test,Armour resistance test,Not applicable
	Test report number and date - Must declare	TC6170-190306-29
	Name and address of Lab - Must declare	GTL, GHAZIABAD
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 3061439

**खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 95 Sq mm**

विनिर्देश   Specification	मूल्य   Value
Detailed / additional Technical Specifications	Please refer to the Buyer Added Bid Specific ATC

**Product Specification for HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 400 Sq mm**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
STANDARDS	PVC Insulated (Heavy Duty) Electric Cables conforming to	IS:1554 (Part 1): 1988 latest
	Working voltage	Upto and including 1100 Volts
	Product ISI Marked	Yes
	If, product ISI marked , BIS License number must declare	3061439

GENERIC	Nominal Area of Conductor (in Sq mm)	400
	Number of cores (in Nos)	4
	Material of conductor	Aluminium
	Type of Insulation	Type-C (Heat Resisting Insulation)
	Type of armouring	Galvanized steel formed wire (strip) armoured
	Type of outer sheath	Type-ST 2 (Heat Resisting Insulation)
	Improved fire performance category and type of the cable	1
CONSTRUCTION	Shape of conductor	Stranded
	Provision of fillers and inner sheath	as per Cl. 5 of IS:1554 (Part 1):1988 latest
	Color of the outer sheath	Black
	Identification on Cable	as per Cl. 17 of IS:1554 (Part 1):2011 latest
	Cable packing and marking	as per Cl. 18 of IS:1554 (Part 1):2011 latest
	Cable wound on	ISI Marked Wooden drum
	Drum standard	as per IS:10418 latest
	Additional requirement	Not applicable
CERTIFICATION	Availability of type test report from Govt Lab/ NABL/ ILAC to prove conformity of the specification	Yes as per IS:1554 Part 1 latest
	Availability of Optional Test Reports	Cold bend test,Cold impact test,Armour resistance test,Not applicable
	Test report number and date - Must declare	TC6170-190306-29
	Name and address of Lab - Must declare	GTL, GHAZIABAD
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 3061439

**खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 400 Sq mm**

विनिर्देश   Specification	मूल्य   Value
Detailed / additional Technical Specifications	Please refer to the Buyer Added Bid Specific ATC

**Product Specification for HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 185 Sq mm**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
STANDARDS	PVC Insulated (Heavy Duty) Electric Cables conforming to	IS:1554 (Part 1): 1988 latest
	Working voltage	Upto and including 1100 Volts
	Product ISI Marked	Yes
	If, product ISI marked , BIS License number must declare	3061439
GENERIC	Nominal Area of Conductor (in Sq mm)	185
	Number of cores (in Nos)	4
	Material of conductor	Aluminium
	Type of Insulation	Type-A (General Purpose Insulation)
	Type of armouring	Galvanized steel formed wire (strip) armoured
	Type of outer sheath	Type-ST 1 (General Purpose Insulation)
	Improved fire performance category and type of the cable	1
CONSTRUCTION	Shape of conductor	Stranded
	Provision of fillers and inner sheath	as per Cl. 5 of IS:1554 (Part 1):1988 latest
	Color of the outer sheath	Black
	Identification on Cable	as per Cl. 17 of IS:1554 (Part 1):2011 latest
	Cable packing and marking	as per Cl. 18 of IS:1554 (Part 1):2011 latest
	Cable wound on	ISI Marked Wooden drum

	Drum standard	as per IS:10418 latest
	Additional requirement	Not applicable
CERTIFICATION	Availability of type test report from Govt Lab/ NABL/ ILAC to prove conformity of the specification	Yes as per IS:1554 Part 1 latest
	Availability of Optional Test Reports	Cold bend test,Cold impact test,Armour resistance test,Not applicable
	Test report number and date - Must declare	TC6170-190306-29
	Name and address of Lab - Must declare	GTL, GHAZIABAD
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 3061439

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 185 Sq mm

विनिर्देश   Specification	मूल्य   Value
Detailed / additional Technical Specifications	Please refer to the Buyer Added Bid Specific ATC

Product Specification for HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 35 Sq mm

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
STANDARDS	PVC Insulated (Heavy Duty) Electric Cables conforming to	IS:1554 (Part 1): 1988 latest
	Working voltage	Upto and including 1100 Volts
	Product ISI Marked	Yes
	If, product ISI marked , BIS License number must declare	IS: 3061439
GENERIC	Nominal Area of Conductor (in Sq mm)	35
	Number of cores (in Nos)	4
	Material of conductor	Aluminium
	Type of Insulation	Type-A (General Purpose Insulation)
	Type of armouring	Galvanized steel formed wire (strip) armoured
	Type of outer sheath	Type-ST 1 (General Purpose Insulation)
	Improved fire performance category and type of the cable	1
CONSTRUCTION	Shape of conductor	Stranded
	Provision of fillers and inner sheath	as per Cl. 5 of IS:1554 (Part 1):1988 latest
	Color of the outer sheath	Black
	Identification on Cable	as per Cl. 17 of IS:1554 (Part 1):2011 latest
	Cable packing and marking	as per Cl. 18 of IS:1554 (Part 1):2011 latest
	Cable wound on	ISI Marked Wooden drum
	Drum standard	as per IS:10418 latest
	Additional requirement	Not applicable
CERTIFICATION	Availability of type test report from Govt Lab/ NABL/ ILAC to prove conformity of the specification	Yes as per IS:1554 Part 1 latest
	Availability of Optional Test Reports	Cold bend test,Cold impact test,Armour resistance test,Not applicable
	Test report number and date - Must declare	ITLE.20230116001
	Name and address of Lab - Must declare	ITL, Gr NOIDA
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 3061439

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 35 Sq mm

विनिर्देश   Specification	मूल्य   Value
---------------------------	---------------

Detailed / additional Technical Specifications

Please refer to the Buyer Added Bid Specific ATC

**Product Specification for HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 50 Sq mm**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
STANDARDS	PVC Insulated (Heavy Duty) Electric Cables conforming to	IS:1554 (Part 1): 1988 latest
	Working voltage	Upto and including 1100 Volts
	Product ISI Marked	Yes
	If, product ISI marked , BIS License number must declare	3061439
GENERIC	Nominal Area of Conductor (in Sq mm)	50
	Number of cores (in Nos)	4
	Material of conductor	Aluminium
	Type of Insulation	Type-A (General Purpose Insulation)
	Type of armouring	Galvanized steel formed wire (strip) armoured
	Type of outer sheath	Type-ST 1 (General Purpose Insulation)
	Improved fire performance category and type of the cable	1
CONSTRUCTION	Shape of conductor	Stranded
	Provision of fillers and inner sheath	as per Cl. 5 of IS:1554 (Part 1):1988 latest
	Color of the outer sheath	Black
	Identification on Cable	as per Cl. 17 of IS:1554 (Part 1):2011 latest
	Cable packing and marking	as per Cl. 18 of IS:1554 (Part 1):2011 latest
	Cable wound on	ISI Marked Wooden drum
	Drum standard	as per IS:10418 latest
	Additional requirement	Not applicable
CERTIFICATION	Availability of type test report from Govt Lab/ NABL/ ILAC to prove conformity of the specification	Yes as per IS:1554 Part 1 latest
	Availability of Optional Test Reports	Cold bend test,Cold impact test,Armour resistance test,Not applicable
	Test report number and date - Must declare	ITL.20230116001
	Name and address of Lab - Must declare	ITL, Gr NOIDA
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 3061439

**खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for HYPHEN CABLE PVC Insulated (Heavy Duty) Electric Cables Aluminium 50 Sq mm**

विनिर्देश   Specification	मूल्य   Value
Detailed / additional Technical Specifications	Please refer to the Buyer Added Bid Specific ATC

**शुद्धिपत्र | Corrigendum**

1. तक बढ़ाया गया | Extended Upto : 2025-02-17 11:00:00

**ईपीबीजी विवरण | ePBG Detail**

सलाहकार बैंक   Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	5.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा | The bidder shall furnish ePBG as applicable as per bid's terms and conditions

**नियम और शर्तें | Terms and Conditions****1. General Terms and Conditions-**1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

## 2. Buyer Added Bid Specific Terms and Conditions-

### 2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 2.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

### 2.3 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

### 2.4 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

### 2.5 Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file.](#)

### 2.6 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file.](#)

### 2.7 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1. Sellers are requested to check the Buyer Added Documents Based ATC for Technical parameters and other terms & conditions and Uploaded self attested copy of ATC for acceptance of all the terms and conditions.

2. The bid governed by the GeM GTC, Buyer added bid specific ATC, CIL Purchase Manual 2020, and related laws, regulations

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.