

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687701831979

अनुबंध तिथि | Generated Date : 17-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4313658](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central PSU मंत्रालय Ministry : Ministry of Coal विभाग Department : MAHANADI COALFIELDS LIMITED संगठन का नाम Organisation Name : MAHANADI COALFIELDS LIMITED कार्यालय क्षेत्र Office Zone : MAHANADI COALFIELDS LIMITED	पद Designation : Karan Gaikwad MT MM संपर्क नंबर Contact No. : -8208096596- ईमेल आईडी Email ID : mmpur2a.mcl@nic.in जीएसटीआईएन GSTIN : - पता Address : MAHANADI COALFIELDS LIMITED, PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: GM(MM)/HOD वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : CM(FIN)/AF(MM)	Role: PAO भुगतान का तरीका Payment Mode: Internet Banking पद Designation : B Narasimha AM F ईमेल आईडी Email ID : nb.basanaboina@coalindia.in जीएसटीआईएन GSTIN : 21AABCM5188P1Z3 पता Address: MAHANADI COALFIELDS LIMITED, AT /PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : E3E2200001436085 कंपनी का नाम Company Name : PEAKMOUNT STAR PRIVATE LIMITED संपर्क नंबर Contact No. : 09971264914 ईमेल आईडी Email ID : peakmountstar.pvt.ltd@gmail.com पता Address : HNO. 130 SHOP AT GROUND FLOOR KH. NO-8/15,KOTLA VIHAR PH-2,NAJAFGARH,NANGLOI, South West delhi, DELHI-110043, - एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-DL-10-0003990 एमएसएमई सामाजिक श्रेणी MSE Social Category : General एमएसएमई लिंग श्रेणी MSE Gender : Female जीएसटीआईएन GSTIN: 07AALCP4733H1Z8 (R) , (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : PEAKMOUNT--PEAKMOUNT STAR PRIVATE LIMITED Potable water purification system with inbuilt water cooler. RO +UV ब्रांड Brand : PEAKMOUNT--PEAKMOUNT STAR PRIVATE LIMITED ब्रांड प्रकार Brand Type : Unregistered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Potable Water Purification System with Inbuilt Water Cooler (Q2) मॉडल Model: PEAKMOUNT STAR 120 LITER एचएसएन कोड HSN Code: 8418	2	pieces	74,900	NA	149,800
कुल ऑर्डर मूल्य Total Order Value (in INR)						149,800

परोक्षिती विवरण Consignee Detail						
क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

1	<p>पद Designation :- ईमेल आईडी Email ID : cgm-adm.mcl@nic.in संपर्क Contact :- जीएसटीआईएन GSTIN :- पता Address : MAHANADI COALFIELDS LIMITED, AT / PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India</p>	<p>PEAKMOUNT-- PEAKMOUNT STAR PRIVATE LIMITED Potable water purification system with inbuilt water cooler. RO +UV</p>	-	2	17-Apr-2024	17-May-2024
---	---	---	---	---	-------------	-------------

Product Specification for PEAKMOUNT--PEAKMOUNT STAR PRIVATE LIMITED Potable water purification system with inbuilt water cooler. RO +UV

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Standard Parameter	Certification for the product	CE
	Certification No and Date	CE-2I2EAZ7398C 10/03/2021
	Manufacturers Quality System Certifications	2I2EAZ7395Q 10/03/2021
	Manufacturers Environment Management System Certifications	2I2EAZ7396E 10/03/2021
	Manufacturers Health and Safety Management System Certifications	2I2EAZ7397O 10/03/2021
	Conformity to Standard for Ultraviolet system	IS 14724 (latest) for water purification system with Ultraviolet disinfection
	Output Water Conforming standard	IS 10500 (latest)
Performance Parameter	Type of water purification technology	RO +UV
	Power consumptions of system (with ± 5% tolerance) (in watt)	775
	Maximum Input Water TDS allow to the system	2000
	Input water hardness	500 ppm or less
	Input water pH	6.5 to 8.5
	Input water chlorine	0.2 ppm
	Input water iron	0.2 ppm
	Input water turbidity	Less than 5 NTU
	Operation mode	Fully automatic with auto cut off
	Availability of sediment and activated carbon filter	Yes
	Ultraviolet (UV) LAMP	Yes
	Ultraviolet (UV) Lamp power in watts (Hint put zero in case UV is not available)	22
	Provision of Arsenic removal	Yes
	Provision of Fluoride removal	Yes
	Provision of Chloride removal	Yes
	Alkaline filter	Yes
	Storage tank	In-built
	Material of water Storage Tank	Stainless Steel SS 304
	Storage tank capacity up to float valve level (in liter)	120
	Stages of purification	6
	No of RO Membranes provided	3
	RO Membrane rating	100 GPD
	RO Membrane flushing	Auto flush at every start, every stop and every one hour for 1 minutes
	No of Particulate filter provided	1
	Particulate Filter size	10 inch
	Particulate Filter Porosity	5 micron
	No of Activated Carbon filter provided	1
Activated Carbon filter Size	10 Inch	
No of Antiscalant filter provided	1	
Antiscalant- where silica is up to 10 ppm/where Mica is up to 100 ppm	Yes	
Nano Silver leaching filtration	Yes	
Minimum inlet pressure	0.6 KG/CM2	
Maximum inlet pressure	3.5 KG/CM2	

	Maximum Inlet water temperature	35 degree celsius
	Digital display	No
	Real time TDS display	No
	Real time pH Display	No
	High pressure pump	Yes
	Raw water/Chemical Raw water/Chemical Cleaning pump	Yes
	Recovery percentage at 27 degree centigrade	50-60
	Filtration water capacity in liter/ hour	80
	TDS removal percentage from RO Membrane	90%
	Pressure vessel Sand Filter	Yes
	Pressure vessel Carbon Filter	Yes
	Pressure Vessel Dual Media Filter	Yes
	Body of filter	ABS Food grade
	Membrane Housing	Yes
	Number of candles	2
Cooler Parameters	Type of compressor	Rotary
	Refrigerant Used	HFC-R-134/A
	Refrigeration temperature	15 to 17
	Type of Condenser	Fin type/tube type
	Evaporator material	Cooper
	Water Storage tank insulation	PUF thermal insulation
	Provision for Hot water	No
	Number of Cold Water Faucets	2
	Number of Normal Water Faucets	NA
	Number of Hot Water Faucets	Na
	Water flow rate through Faucets(in liter per hour)	50
	Cooling capacity at comfort level (17 ± 1 degree celsius) (in liter per hour)	80
	Installation Type	Floor Mounted
	Power supply	SINGLE PHASE (230 ± 10 % VOLT,%0 Hz)
	Maximum running current in ampere at rated condition	4.5 ± 10 %
	Warranty in years including electronic ,electric parts, replacement of filters twice a year)	1
	Warranty period without Filter , electronic and electrical parts	1
Warranty period without Filter & inclusive of electronic and electrical parts	1	
Additional Parameters	Availability of type test Test REPORT for Filtering Size of Particles	Yes
	TYPE Test certificate No and date for Filtering Size of Particles	TC536921000002380F , 12/10/2021
	Name and Address of laboratory which conducted Test for Filtering Size of Particles:	sigma test & research center 99,Badli industrial Area, Phase-2 new delhi 110042
	Availability of Test Report on Microbial Efficacy from Govt/NABL/ilac Lab	Yes
	Test certificate No and date for Microbial Efficacy	TC536921000002380F , 12/10/2021
	Name of the lab for Microbial Efficacy	INTERNATIONAL QUALITY CERTIFICATION SERVICES UK LTD.272,bath street ,glasgow,g2 4jr,u.k.
	Avaiability of type test certificate from NABL/ILAC Lab design evaluation report as per IS 14724	Yes
	Copies of certifications and reports to be given to buyer at time of supplies	Yes
	User/Technical/Maintenance manuals to be supplied in English in hard and soft copy	Yes
	Availability of toll free centres for customer support	Yes
	Installation and Commissioning inclusive in the scope of Supply*	Yes
	Availablity of NABL Accredited Laboratory Facility with OEM	Yes

Name and Address of NABL Accredited lab with OEM , If Not available put NA	sigma test & research center 99,Badli industrial Area, Phase-2 new delhi 110042
Inlet Pipe & Fitting from raw water sources to water purification system	suitable pipe and fitting to be provided by seller up to 20 feet
Pipe & Fitting from Out let to purified water tank	to be arranged by seller (upto 20 feet)
Pipe and pipe fitting material	PVC
Electrical fitting and plug points	To be arranged by buyer /consignee
ISI marked Electronic and electrical parts provided	Yes
Open installation of Water pipe fitting and waste water pipe line fitting provided	Yes
Scope Civil Work if any required during installation	All Civil work shall be responsibility of buyer

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for PEAKMOUNT--PEAKMOUNT STAR PRIVATE LIMITED
Potable water purification system with inbuilt water cooler. RO +UV

विनिर्देश Specification	मूल्य Value
Output Water Confirming standard	IS : 10500 latest
Output Water Confirming standard	IS : 10500 latest

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2024-02-06 10:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.2 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.3 Generic:

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Kalyan Mandap Cum MT Hostel
Anand Vihar Colony
Mahanadi Coalfields Limited
Burla , Sambalpur
Odisha- 768020

2.4 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1. Experience Criteria : The Bidder or its OEM {themselves or through reseller(s)} should have regularly , manufactured and supplied same or similar Products to any Central / State Govt Organization /PSU/ Public Listed Company. Copies of relevant contracts to be submitted along with bid in support of experience criteria. Contract copies should be at least 01 year older and it should not be older than 05 years as on bid opening date.

2. OEM Authorization : Wherever Authorized Distributor/authorized sellers are submitting the bid , Manufacturer Authorization Form/ Dealership Certificate is required to be furnished by the bidder along with the bid.

3. The seller has to upload all relevant documents (like Guarantee/Warranty certificate, Delivery Challan, E-waybill, Test report, any other document mentioned in the contract whichever is applicable) in the GeM portal while generating Invoice.

2.5 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file.](#)

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.