

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687741252265

अनुबंध तिथि | Generated Date : 17-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4093748](#)

अनुसूची नाम | Schedule Name: Schedule 2, Schedule 3

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central PSU मंत्रालय Ministry : Ministry of Coal विभाग Department : MAHANADI COALFIELDS LIMITED संगठन का नाम Organisation Name : MAHANADI COALFIELDS LIMITED कार्यालय क्षेत्र Office Zone : MAHANADI COALFIELDS LIMITED	पद Designation : Sunil Dajgude Dy Mgr MM संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : sunilt.dajgude@coalindia.in जीएसटीआईएन GSTIN : 21AABCM5188P1Z3 पता Address : MAHANADI COALFIELDS LIMITED, PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : GM(MM)/HOD वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : DY GM(FIN)	Role: PAO भुगतान का तरीका Payment Mode: Internet Banking पद Designation : B Narasimha AM F ईमेल आईडी Email ID : nb.basanaboina@coalindia.in जीएसटीआईएन GSTIN : 21AABCM5188P1Z3 पता Address : MAHANADI COALFIELDS LIMITED, AT /PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 0CX7210004149479 कंपनी का नाम Company Name : FLAMEKLOG FIRE EQUIPMENTS PRIVATE LIMITED संपर्क नंबर Contact No. : 09515155751 ईमेल आईडी Email ID : sales@flameklog.co.in पता Address : H. NO.- 001-T NO-112-1 PLOT NO-221/4698, NEAR RTO OFFICE, CHARAMPA, EREIN, Bhadrak, ODISHA-756101, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-DL-08-0006810 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Female जीएसटीआईएन GSTIN : 07AAECF25271ZO (B) , 21AAECF25271ZY (M) , 07AAECF25271ZO (M) , 21AAECF25271ZY (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : FLAMEKLOG Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure >19 bar) Carbon Dioxide Based (as per IS 15222) Class -C ब्रांड Brand : FLAMEKLOG ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Portable Fire Extinguishers (V2) as per IS 15683:2018 (Q2) मॉडल Model: 4.5KG CO2 TYPE FIRE EXTINGUISHER एचएसएन कोड HSN Code: HSN not specified by seller	20	pieces	3,160	NA	63,200
2	उत्पाद का नाम Product Name : FLAMEKLOG 9 Kg CO2 Based Wheeled Fire Extinguishers ब्रांड Brand : FLAMEKLOG ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : CO2 Based Wheeled Fire Extinguishers as per IS 16018 (Q3) मॉडल Model: 9KG CO2 WHEELED TYPE FIRE EXTINGUISHER एचएसएन कोड HSN Code: HSN not specified by seller	16	pieces	5,500	NA	88,000

कुल ऑर्डर मूल्य | Total Order Value (in INR)

151,200

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : doredlatharun.sai@coalindia.in संपर्क Contact :- जीएसटीआईएन GSTIN :- पता Address : MAHANADI COALFIELDS LIMITED, AT & PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India	FLAMEKLOG Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure >19 bar) Carbon Dioxide Based (as per IS 15222) Class -C	-	20	17-Apr-2024	16-Jul-2024
		FLAMEKLOG 9 Kg CO2 Based Wheeled Fire Extinguishers	-	16	17-Apr-2024	16-Jul-2024

Product Specification for FLAMEKLOG Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure >19 bar) Carbon Dioxide Based (as per IS 15222) Class -C

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Generic	Conformity to Standard	IS: 15683: 2018 (Latest amendments)
	Type	Stored Pressure
	Extinguishing Media	Carbon Dioxide Based (as per IS 15222)
	Expellant Medium	CO2 Extinguishing Medium
Constructional Material	Type of Extinguisher	High Pressure Extinguisher (Service Pressure >19 bar)
	Material Specification for the body of High Pressure Extinguisher	Steel body (as per latest IS 7285)
	Material Specification for the body of Low Pressure Extinguisher	NA
Construction	Foam Based Extinguishing Media	NA
	Powder Based Extinguishing Media	NA
	Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3)	NA
	Name of Clean Agent as per (CL 5-1-3)	NA
	Foam Based Fire Extinguisher Capacity in Liters	NA
	Powder Based Fire Extinguisher Capacity in Kg	NA
	Carbon Dioxide Based Fire Extinguisher Capacity in Kg	4.5
	Water Based Fire Extinguisher Capacity in Liters	NA
	Clean Agents Fire Extinguisher Capacity in Kg	NA
	Water Mist Fire Extinguisher Capacity in Liters	NA
	Weight of Filled Portable Fire Extinguisher	16 kilogram
	Features of Fire Extinguisher	Carrying Handle (Mandatory If Extinguisher having mass \geq 1.5Kg or Cylinder diameter, Safety Devices (Mandatory for High Pressure Extinguisher), Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres), NA
	Marking	As per clause 10.2 of IS 15683 (latest)
	Colour Coding Band (As per CL 10-1)	Black (CO2)
	Pressure Gauge Range for Low-Pressure Extinguishers	0 bar
Class of fire for which Fire Extinguisher is suitable	Class -C	
Performance	Operating Temperature (°C)	-20°C to +60°C
	Test Pressure for all Fire extinguisher except CO2	0 bar
	Burst Pressure for all Fire extinguisher except CO2	0 bar
	Minimum Effective discharge time for Fire Extinguisher	11 second
	Fire Rating of different class of fires	55B

	Discharge Range of Class-A and Class-B Fire Extinguisher (As per table 1 of CL 7-2-2) (Hint : ≥ 2 in case applicable on Class-A or Class A & B both / ≥ 1 in case applicable on Class-B only)	3.5 meter
Certification	BIS Marking	Yes
	CM/L No With Validity Period	520010697921-07-2022
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Availability of Test Report from Central Govt Laboratory
	Test Report No	2830
	Test Report Date	25-02-2021
	Name of the lab	AFRL PVT. LTD.
	Address of the lab	B-3, MANGOL PURI-34
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for FLAMEKLOG Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure >19 bar) Carbon Dioxide Based (as per IS 15222) Class -C

विनिर्देश Specification	मूल्य Value
Type of Extinguisher	High Pressure Extinguisher (Service Pressure >19 bar)
Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Availability of Test Report from NABL accredited Laboratory/ Availability of Test Report from Central Govt Laboratory
Document to be submitted by the bidder at the time of bid submission	Copy of the valid BIS licence for IS: 15683: 2018
Warranty	12 months from the final acceptance of the material at the consignee location
Type of Extinguisher	High Pressure Extinguisher (Service Pressure >19 bar)
Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Availability of Test Report from NABL accredited Laboratory/ Availability of Test Report from Central Govt Laboratory
Document to be submitted by the bidder at the time of bid submission	Copy of the valid BIS licence for IS: 15683: 2018
Warranty	12 months from the final acceptance of the material at the consignee location

Product Specification for FLAMEKLOG 9 Kg CO2 Based Wheeled Fire Extinguishers

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Generic	CO2 based Stored Pressure wheeled fire extinguishers	Conforming to IS 16018 latest
	Scope	CO2 based wheeled fire extinguishers are larger version of the portable fire extinguishers.
	Nominal Charges Content capacity	9 Kg
	Extinguishing Media	Carbon dioxide used in wheeled fire extinguishers conforming to IS 15222
	Propellants Type	Stored Pressure
	Propellent gas Name	CO2
	Suitably for the Class "A/B/C/D" of Fire	B/C
Constructional	Cylinder Pressure Type	High Pressure (service pressure more than 2.5 Mpa)
	Cylinder Material	Seamless Steel conforming to IS:7285 contain a maximum of 0.25 percent carbon, 0.05 percent sulphur and 0.05 percent phosphorus.
	Rechargeable	Yes
	Constructional requirements of complete fire extinguisher	as per clause 8 of IS :16018
	Discharge Assembly	Hose at least 1.5 m long for less than 25 kg capacity
	Horn for carbon dioxide wheeled fire extinguisher	yes, as per clause 8.13 of IS 16018
	Wheeled Carriage Assembly	yes , as per clause 8.18 of IS 16018
	Fill density for carbon dioxide wheeled fire extinguishers (in Kg/litre)	0.667 inch
	Filling Tolerance for CO2 based fire extinguisher	+0 and -5 % by volume
	Total mass of a fully charged wheeled fire extinguisher(without trolley and trailer)	32.64 kilogram
	Durability of fully charged wheeled fire extinguisher	as per clause 6.7 of IS 16018

	Electrical Conductivity of Extinguisher Discharge as per clause 6 of IS 16018	Yes
	Colour for wheeled fire extinguisher bodies	Red
Performance	Discharge Capacity	minimum 85 percent by mass of the actual rated capacity of the extinguisher, when the extinguisher is set into operation under normal temperature conditions of 27° C ± 5°C
	Operating Temperature	-30°C to +55°C
	Effective Discharge Time	≥ 15 second
	Duration of Discharge wrt capacity	32 second
	Maximum service pressure (PMS)	12
	Minimum Bursting Pressure (MPa)	15 mebiPascal
Certification	Marking	as per clause 9.2 of ISS
	BIS Certification Marking	Yes
	CM/L Number	5200106878 21-07-24
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test Report No	2854
	Test Report Date	03.03.2021
	Name of the Lab	AFTRL
	Address of the Lab	B-3,MANGOLPURI ND-34
	Test Report to be provided to the buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 5200106878

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for FLAMEKLOG 9 Kg CO2 Based Wheeled Fire Extinguishers

विनिर्देश Specification	मूल्य Value
1.CO2 based Stored Pressure wheeled fire extinguishers	Conforming to IS 16018 latest
2.BIS Marking: Yes 3.BIS: All Catalogs 4.Suitably for the Class "A/B/C/D" of Fire: Class C	Agree
5.Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Availability of Test Report from NABL accredited Laboratory/ Availability of Test Report from Central Govt Laboratory
6.Extinguishing Media	Carbon dioxide used in wheeled fire extinguishers conforming to IS 15222
7.Document to be submitted by the bidder at the time of bid submission: Copy of the valid BIS licence for IS 16018 8.Warranty:12 months from the final acceptance of the material at the consignee location	Agree

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	10.00
बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा The bidder shall furnish ePBG as applicable as per bid's terms and conditions	

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

- 2.1 *Buyer Added Bid Specific ATC:*
Buyer Added text based ATC clauses

The bidder are requested to go through the Additional terms and conditions document uploaded in the bid for documents submission details.

2.2 *Scope of Supply:*

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.3 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file.](#)

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.