

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687763974753

अनुबंध तिथि | Generated Date : 17-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4326159](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central PSU मंत्रालय Ministry : Ministry of Coal विभाग Department : MAHANADI COALFIELDS LIMITED संगठन का नाम Organisation Name : MAHANADI COALFIELDS LIMITED कार्यालय क्षेत्र Office Zone : MAHANADI COALFIELDS LIMITED	पद Designation : mmpur1c संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : mmpur1c.mcl@coalindia.in जीएसटीआईएन GSTIN : - पता Address : MAHANADI COALFIELDS LIMITED, PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : GM(MM)/HOD वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : AF(MM)	Role: PAO भुगतान का तरीका Payment Mode: Internet Banking पद Designation : DEEPAK KUMAR BURMA MGR FIN ईमेल आईडी Email ID : dkburma@coalindia.in जीएसटीआईएन GSTIN : 21AABCM5188P1Z3 पता Address : MAHANADI COALFIELDS LIMITED, AT /PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : U61G220007053859 कंपनी का नाम Company Name : ANANGPURIA MEDTECH LLP संपर्क नंबर Contact No. : 09205510060 ईमेल आईडी Email ID : tenders@ambusindia.com पता Address : 16/2, SAREEN COMPLEX, MATHURA ROAD,16/2, SAREEN COMPLEX, MATHURA ROAD, Faridabad, HARYANA-121001, - एमआईआई स्थिति MII Status : True एमएसएमई सत्यापित MSME verified : Yes एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-HR-03-0045910 एमएसएमई सामाजिक श्रेणी MSE Social Category : General एमएसएमई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 06ABZFA4404G1ZD (R) , (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Ambus Diesel Ambulance with 36 month warranty ब्रांड Brand : Ambus ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Ambulances - R (Q1) मॉडल Model: Force Trax WB 3050 एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	2,089,000	NA	4,178,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						4,178,000

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

1	<p>पद Designation :- ईमेल आईडी Email ID : depot-off-lina.mcl@coalindia.in संपर्क Contact : 943-8494207- जीएसटीआईएन GSTIN : 21AABCM5188P1Z3 पता Address : LINGARAJ AREA, MAHANADI COALFIELDS LIMITED, AT/PO: Deulbera Colliery, ANGUL, ODISHA-759102, India</p>	Ambus Diesel Ambulance with 36 month warranty	-	2	17-Apr-2024	14-Sep-2024
---	--	---	---	---	-------------	-------------

Product Specification for Ambus Diesel Ambulance with 36 month warranty

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Generic Vehicle parameters	Type of Ambulance	Type C (as per clause 3.3.3 of AIS:125 Part-1)
	Category of Vehicle	M2
	Vehicle Engine Capacity (cc)	2596
	Type of Fuel	Diesel
	Vehicle Emission Complainece	BS VI
	Colour of the Vehicle	White
	Vehicle Mileage (declared by OEM as certified by Test Agency under Rule 115of CMVR 1989) (Kmpl)	12.27
	Top Speed (km/hr)	80
	Acceleration(0-70KmPH) in sec	34.5 second
	Gradeability of Vehicle (degree)	8 degree
	Air Conditioning	Whole Ambulance
	Engine BHP	90 horsepower
	Rated RPM at Max Engine BHP	3200
	Engine Torque Max (N-m)	250
	Rated RPM at Max Engine Torque	1400
	Type of Vehicle Body	Chassis Frame
	No of Doors	3
	Fuel Tank Capacity (liter)	60 liter
	Length of Vehicle Body (mm)	5120 millimeter
	Width of Vehicle Body (mm)	1818 millimeter
	Height of Vehicle Body (mm)	2027 millimeter
	Ground Clearance(road Clearance from floor) (mm)	191 millimeter
	Wheel Base (mm)	3050 millimeter
	Kerb Weight (kg)	60 kilogram
	Gross Vehicle Weight (kg)	3140 kilogram
	Type of Tyre and Tube	BIS marked Pneumatic Tubeless tyres
	Size Of Tyre	215/75 R15 LT
	Vehicle Transmission System	Manual
	No of Speed/ Forward Gears	5
	Type of Wheel drive	Two Wheel drive
	Drive Axle	All
	Type of Steering	Power
	Turning Radius (mm)	7 millimeter
Front Vehicle Brake	Disc Brake	
Rear Vehicle Brake	Drum Brake	
Vehicle Air Intake System	TurboCharged	
Vehicle features	Driver Airbag,Vehicle Brake ABS Fitted,Day & Night View Mirror,Central Locking,Low Fuel warning Light	

Description	Description	Road Ambulance or Ambulance is a specially equipped and ergonomically designed vehicle for transportation / emergent treatment of sick or injured people and capable of providing out of hospital medical care during transit / when stationary, commensurate with its designated level of care when appropriately staffed
Ambulance Body	Patient Compartment	As per cl. 4.5 of AIS 125 Pt I
	Overall Length of Patient Compartment (mm)	3000 millimeter
	Overall Width (mm) of Patient Compartment	1818 millimeter
	Overall Height of Patient Compartment (mm)	2027 millimeter
	Construction of Patient Compartment	The ceiling, the material of floor and side shall be non-permeable and resistant to disinfectant
	Body Main Structure Shape and Material	Rectangular
	Size of Section	12-18 MM
	Exterior Panel of side body and roof	Aluminium sheet of thickness 1 mm ,min
	Interior Panel of side body	GI sheet of thickness 0.8 mm min, FRP panelling, ABS panelling with Anti bacterial material
	Interior Panel of roof	GI sheet of thickness 0.6mm ,min
	Flooring Material	Flooring Made Out from ISI Marked 12 mm thick FR grade plywood covered with vinyl sheet
	Openings (Doors, Windows, Emergency Exits)	AS per cl. 4.4.5 of AIS 125 Pt I
	Number of Seats (including driver)	5
	Number of stretcher	1
	Min Number of Patient and Attendant Seats	2
Main Equipments	Features of Main Stretcher	Main stretcher with an integral undercarriage
	PROVISION FOR MEDICAL DEVICES	Mounting for portable Oxygen cylinder of 2.2 L water capacity, Hook for infusion mounting, Storage for keeping first aid and nursing kit
	Type of Patient Handling Equipment	Main stretcher with undercarriage, Oxygen Cylinder Bracket, I.V. Bottle Hanging Hook, First Aid Box in side of rear saloon
	Ambulance Features	Medical cabinet in side of rear saloon, Roof revolving light, Siren, Fire Extinguisher as per AIS 125 PT I
Electrical Requirement	Additional Electric Load of Medical Equipment's permissible (Watts) as per AIS 125 (Part-1)	600 Watt
	Number of battery(ies) provided other than the vehicle battery	1
	Additional Battery Capacity	Nominal Voltage 12V 80Ah
	Alternator Power	Alternator power 700W Type C
	Min no of 12V connections for medical devices in patient's compartment	2
	Min number of 220V AC power supply connections for medical devices in patient compartment	6
Environment Testing	Environment Testing Compliance	Flammability Test as per IS 15061: 2002 (as applicable), Interior fitting compliance as per AIS-047 established, Air conditioning and Heating Performance Tests (Clause 4.5.4 as per AIS 125 Pt I) Compliance, Acceleration Test (Clause 4.2.1 per AIS 125 Pt I and IS:11851-2002) Compliance, Water Proofing Test (IS:11865-1995) Compliance, Dust Ingress Test (IS:11739-1997) Compliance
	Additional Features for COVID 19 Ambulance	Partition Between Driver & Patient Compartment
	Warranty Time (months)	36 month
	Warranty Distance (or warranty time, whichever earlier) (km)	300000 kilometer
	Battery Warranty (months)	12 month

	No Of Free Service during warranty	3
Certification	Applicable GSR 287(E), Central Motor Vehicles(4th Amend) Rules, 2015 and Ambulance CODE (Latest)	Compliance to AIS 125(Part I) : Constructional and Functional Requirements for Road Ambulances with all amendments till date.
	Certification	Complete vehicle
	Vehicle Certification	ARAI
	Vehicle Certification ARAI/VRDE/ICAT/CIRT/NATRAX No	ARAI

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for Ambus Diesel Ambulance with 36 month warranty

विनिर्देश Specification	मूल्य Value
Openings (Doors, Windows, Emergency Exits)	As per Cl. 4.4.5 of AIS 125 Pt I
Applicable GSR 287(E), Central Motor Vehicles (4th Amend) Rules, 2015 and Ambulance CODE (Latest)	Compliance to AIS 125(Part I) : Constructional and Functional Requirements for Road Ambulances with all amendments till date
Warranty Time (months)	12 Months atleast

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2024-01-17 14:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	10.00
बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा The bidder shall furnish ePBG as applicable as per bid's terms and conditions	

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.2 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.3 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.4 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

All bidder are required to submit the documents requested in [Buyer Added Bid Specific ATC](#) section.

Buyer Added Bid Specific ATC would supersede GEM STC in respect of delivery period.

2.5 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

