

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687795338997

Generated Date | अनुबंध तिथि: 22-May-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/3065909](#)

Schedule Name | अनुसूची नाम: Schedule 1, Schedule 2, Schedule 3, Schedule 4

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप: Central PSU Ministry मंत्रालय: Ministry of Coal Department विभाग: MAHANADI COALFIELDS LIMITED Organisation Name संगठन का नाम: MAHANADI COALFIELDS LIMITED Office Zone कार्यालय क्षेत्र: MAHANADI COALFIELDS LIMITED	Designation पद: MMPUR2c VUPPALA SRIKANTH ASST MGR MM Contact No. संपर्क नंबर: 0663-2542521- Email ID ईमेल आईडी: mmpur2c.mcl@coalindia.in GSTIN जीएसटीआईएन: 21AABCM5188P1Z3 Address पता: MAHANADI COALFIELDS LIMITED, PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति: Yes Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम: GM(MM)/HOD Designation of Financial Approval वित्तीय अनुमोदन का पदनाम: Dy Mgr (Fin)	Role: PAO Payment Mode भुगतान का तरीका: Internet Banking Designation पद: Atanu Kumar Sahu AM Fin Email ID ईमेल आईडी: atanukumar.sahu@coalindia.in GSTIN जीएसटीआईएन: 21AABCM5188P1Z3 Address पता: MAHANADI COALFIELDS LIMITED, AT /PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी: 87EA180000545847 Company Name कंपनी का नाम: S J LADDERS Contact No. संपर्क नंबर: 09818438777 Email ID ईमेल आईडी: sjladders@gmail.com Address पता: 928, Sweta Khandelwal, GALI INDER WALI, KUCHA PATI RAM, DELHI, DELHI-110006, - MII Status एमआईआई स्थिति: True MSME verified एमएसएमई सत्यापित: Yes MSME Registration number एमएसएमई पंजीकरण संख्या: UDYAM-DL-01-0000796 MSE Social Category एमएसई सामाजिक श्रेणी: General MSE Gender एमएसई लिंग श्रेणी: Female GSTIN जीएसटीआईएन: 07ACRPK1610K1Z	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश: NA

#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name जयाद का नाम: S.J.LADDERS--S J LADDERS Aluminium Self Supporting Ladders, Height 40 foot Brand ब्रांड: S.J.LADDERS--S J LADDERS Brand Type ब्रांड प्रकार: Unregistered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Ladders- IS 3696 (Q3) Model मॉडल: Model SJ 2 HSN Code एचएसएन कोड: HSN not specified by seller	10	pieces	4,240	NA	42,400
2	Product Name जयाद का नाम: S.J.LADDERS--S J LADDERS Aluminium Self Supporting Ladders, Height 40 foot Brand ब्रांड: S.J.LADDERS--S J LADDERS Brand Type ब्रांड प्रकार: Unregistered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Ladders- IS 3696 (Q3) Model मॉडल: Model SJ 2 HSN Code एचएसएन कोड: HSN not specified by seller	11	pieces	6,600	NA	72,600

3	Product Name जयाद का नाम : S. J. Ladders Aluminium Wall Supporting Ladders, Height 20 foot Brand ब्रांड : S. J. Ladders Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Ladders- IS 3696 (Q3) Model मॉडल: S. J. LADDERS HSN Code एचएसएन कोड: 76169990	5	pieces	8,629.6	NA	43,148
4	Product Name जयाद का नाम : S.J.LADDERS--S J LADDERS Aluminium Wall Supporting Ladders, Height 37 foot Brand ब्रांड : S.J.LADDERS--S J LADDERS Brand Type ब्रांड प्रकार : Unregistered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Ladders- IS 3696 (Q3) Model मॉडल: MODEL SJ 12 HSN Code एचएसएन कोड: HSN not specified by seller	3	pieces	11,933.6	NA	35,800.8
Total Order Value कुल ऑर्डर मूल्य (in INR)						193,948.8

Consignee Detail | परेषिती विवरण

S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद : Email ID ईमेल आईडी : doredlatharun.sai@coalindia.in Contact संपर्क :- GSTIN जीएसटीआईएन :- Address पता : MAHANADI COALFIELDS LIMITED, AT & PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India	S.J.LADDERS--S J LADDERS Aluminium Self Supporting Ladders, Height 40 foot	-	10	22-May-2023	20-Aug-2023
		S.J.LADDERS--S J LADDERS Aluminium Self Supporting Ladders, Height 40 foot	-	11	22-May-2023	20-Aug-2023
		S. J. Ladders Aluminium Wall Supporting Ladders, Height 20 foot	-	5	22-May-2023	20-Aug-2023
		S.J.LADDERS--S J LADDERS Aluminium Wall Supporting Ladders, Height 37 foot	-	3	22-May-2023	20-Aug-2023

Product Specification for S.J.LADDERS--S J LADDERS Aluminium Self Supporting Ladders, Height 40 foot

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Dimensions	Bottom Width	15 inch
	Reach Height, feet	38 foot
	Ladder Closed Height	20 foot
	Ladder Open Height	40 foot
	Platform Size, if available else write NA	-
Material and Finish	Finish	Anodized
	Material	Aluminium
Type and Duty	Type	Self Supporting
	Strength Type	Strong
Step Details	Number of Steps	1-20
	Step Type	Flat
Wheel Details	Wheel Diameter	NA
	No. of Wheels	NA
	Wheels	No
Railing Details	Railing	No
	Railing Height	0 foot
Capacity	Minimum Load Capacity, Kg	160
	Fitted	Bottom Rubber, Side Lock, Side Plug

Generic	Locking System	Yes
	Warranty	1 year
	Wire Rope	No
	Top Support	No
	Bottom Shoes	Yes
	Usage	Industrial
	Features	Anti Corossion,Anodised,Slip Resistant,Foldable,Anti loosen rivets
	C-Section Details	-
	Colour	Silver
Marking	ISI Marked	No
Safety and Certification Details	Certification, if any else write NA	-
	Safety code as per IS 3696-2 (Latest)	Yes

Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए S.J.LADDERS--S J LADDERS Aluminium Self Supporting Ladders, Height 40 foot

Specification विनिर्देश	Value मूल्य
Ladder Open Height	6 foot
Ladder Closed Height	6 foot
Reach Height, feet	10 or 11 foot

Product Specification for S.J.LADDERS--S J LADDERS Aluminium Self Supporting Ladders, Height 40 foot

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Dimensions	Bottom Width	15 inch
	Reach Height, feet	38 foot
	Ladder Closed Height	20 foot
	Ladder Open Height	40 foot
	Platform Size, if available else write NA	-
Material and Finish	Finish	Anodized
	Material	Aluminium
Type and Duty	Type	Self Supporting
	Strength Type	Strong
Step Details	Number of Steps	1-20
	Step Type	Flat
Wheel Details	Wheel Diameter	NA
	No. of Wheels	NA
	Wheels	No
Railing Details	Railing	No
	Railing Height	0 foot
Capacity	Minimum Load Capacity, Kg	160
Generic	Fitted	Bottom Rubber,Side Lock,Side Plug
	Locking System	Yes
	Warranty	1 year
	Wire Rope	No
	Top Support	No
	Bottom Shoes	Yes
	Usage	Industrial
	Features	Anti Corossion,Anodised,Slip Resistant,Foldable,Anti loosen rivets
	C-Section Details	-

	Colour	Silver
Marking	ISI Marked	No
Safety and Certification Details	Certification, if any else write NA	-
	Safety code as per IS 3696-2 (Latest)	Yes

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए S.J.LADDERS--S J LADDERS Aluminium Self Supporting Ladders, Height 40 foot

Specification विनिर्देश	Value मूल्य
Ladder Open Height	10 foot
Ladder Closed Height	10 foot
Reach Height, feet	10 or 14 foot

Product Specification for S. J. Ladders Aluminium Wall Supporting Ladders, Height 20 foot

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Dimensions	Bottom Width	15 inch
	Reach Height, feet	24 foot
	Ladder Closed Height	12 foot
	Ladder Open Height	20 foot
	Platform Size, if available else write NA	-
Material and Finish	Finish	Anodized
	Material	Aluminium
Type and Duty	Type	Wall Supporting
	Strength Type	Strong
Step Details	Number of Steps	1-20
	Step Type	Round
Wheel Details	Wheel Diameter	NA
	No. of Wheels	NA
	Wheels	No
Railing Details	Railing	No
	Railing Height	0 foot
Capacity	Minimum Load Capacity, Kg	100
Generic	Fitted	Bottom Rubber,Side Lock,Side Plug
	Locking System	No
	Warranty	1 year
	Wire Rope	No
	Top Support	No
	Bottom Shoes	Yes
	Usage	Industrial
	Features	Anti Corossion,Anodised,Slip Resistant,Foldable,Anti loosen rivets
	C-Section Details	66.68 x 31.75 x 3.25
Colour	Silver	
Marking	ISI Marked	No
Safety and Certification Details	Certification, if any else write NA	ISO
	Safety code as per IS 3696-2 (Latest)	Yes

Note | टिप्पणी: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए S. J. Ladders Aluminium Wall Supporting Ladders, Height 20 foot

Specification विनिर्देश	Value मूल्य
Ladder Open Height	20 foot
Ladder Closed Height	12 or 20 foot
Reach Height, feet	22/ 23/ 24 foot
Number Of Steps	1 - 20 or 20 - 40

Product Specification for S.J.LADDERS--S J LADDERS Aluminium Wall Supporting Ladders, Height 37 foot

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Dimensions	Bottom Width	15 inch
	Reach Height, feet	40 foot
	Ladder Closed Height	20 foot
	Ladder Open Height	37 foot
	Platform Size, if available else write NA	NA
Material and Finish	Finish	Raw
	Material	Aluminium
Type and Duty	Type	Wall Supporting
	Strength Type	Very Strong
Step Details	Number of Steps	20-40
	Step Type	Round
Wheel Details	Wheel Diameter	NA
	No. of Wheels	NA
	Wheels	No
Railing Details	Railing	No
	Railing Height	0 foot
Capacity	Minimum Load Capacity, Kg	150
Generic	Fitted	Bottom Rubber,Side Lock,Side Plug
	Locking System	Yes
	Warranty	1 year
	Wire Rope	Yes
	Top Support	Yes
	Bottom Shoes	Yes
	Usage	Industrial
	Features	Anti Corossion,Anodised,Slip Resistant,Foldable,Anti loosen rivets
	C-Section Details	-
	Colour	Silver
Marking	ISI Marked	Yes
Safety and Certification Details	Certification, if any else write NA	-
	Safety code as per IS 3696-2 (Latest)	Yes

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए S.J.LADDERS--S J LADDERS Aluminium Wall Supporting Ladders, Height 37 foot

Specification विनिर्देश	Value मूल्य
Ladder Open Height	30 foot
Ladder Closed Height	20 foot
Reach Height, feet	32 foot

Type	Wall Supporting/ Wall Supporting sliding
ePBG Detail ईपीबीजी विवरण	
Advisory Bank सलाहकार बैंक :	NA
ePBG Percentage(%) ईपीबीजी प्रतिशत (%) :	NA
Terms and Conditions नियम और शर्तें	
<p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p> <p>2. Buyer Added Bid Specific Terms and Conditions-</p> <p>2.1 Scope of Supply: Scope of supply (Bid price to include all cost components) : Only supply of Goods</p> <p>2.2 Buyer Added Bid Specific ATC: Buyer Added text based ATC clauses</p> <p>1. Warranty: Warranty period of the supplied products shall remain valid for eighteen (18) months from the date of receipt and acceptance of material at consignee's end or twelve (12) months from the date of its use/ fitment/ commissioning, whichever is earlier. All cases of warranty replacement of failed item will be decided on the basis of joint inspection of the failed item held between the user and the manufacturer's representative. The supplier will have to depute representative for joint inspection within 10 days of intimation of warranty failure. In case if he fails to come for joint inspection within 10 days of intimation, the warranty claim raised by the consignee shall be treated as final and supplier will be liable to make warranty replacement of the failed item.</p> <p>2. Product / Product delivery should comply with, ensuring the quality of service, protection of the environment and health & safety during and after their activities, as per Company/Govt. norms.</p> <p>3. The clarification/shortfall documents if any will be sought only once. The clarification document submitted in the representation after technical evaluation will not be accepted.</p> <p>4. Mahanadi Coalfields Limited (MCL) has on boarded the TReDS platform through Receivables Exchange of Inida Limited (RXIL). TReDS is an online discounting platform primarily meant for MSME vendor to get their trade receivables financed through auction mechanism where multiple financiers can participate in a very transparent manner. MSME vendors of MCL are requested to register themselves on RXIL TReDS platform to avail the above benefits. For more details, visit: https://www.rxil.in/.</p> <p>.</p> <p>2.3 Certificates: Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.</p>	
<p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p> <p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>	