

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687755433908

Generated Date | अनुबंध तिथि: 25-Oct-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/3388772](#)

Schedule Name | अनुसूची नाम: Schedule 3

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप: Central PSU	Designation पद: PRADEEP KUMAR N
Ministry मंत्रालय: Ministry of Coal	Contact No. संपर्क नंबर: -
Department विभाग: MAHANADI COALFIELDS LIMITED	Email ID ईमेल आईडी: pkumarn.mcl@nic.in
Organisation Name संगठन का नाम: MAHANADI COALFIELDS LIMITED	GSTIN जीएसटीआईएन: -
Office Zone कार्यालय क्षेत्र: MAHANADI COALFIELDS LIMITED	Address पता: MAHANADI COALFIELDS LIMITED, PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति: Yes	Role: PAO
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम: GM MM HOD	Payment Mode भुगतान का तरीका: Internet Banking
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम: Dy GM Fin	Designation पद: DEEPAK KUMAR BURMA MGR FIN
	Email ID ईमेल आईडी: dkburma@coalindia.in
	GSTIN जीएसटीआईएन: 21AABCM5188P1Z3
	Address पता: MAHANADI COALFIELDS LIMITED, AT /PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी: E8A1180000447686	Company Name कंपनी का नाम: Lyric International
Contact No. संपर्क नंबर: 06290905787	Email ID ईमेल आईडी: kingshuk.lyric@rediffmail.com
Address पता: P 86, Tollygunge Circular Road, NEW ALIPORE, Kolkata, West Bengal-700053, -	MII Status एमआईआई स्थिति: True
MSME verified एमएसएमई सत्यापित: No	MSME Registration number एमएसएमई पंजीकरण संख्या: UDYAM-WB-10-0030464
MSE Social Category एमएसई सामाजिक श्रेणी: General	MSE Gender एमएसई लिंग श्रेणी: Male
GSTIN जीएसटीआईएन: 19AAGFL4997B1Z0	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश: NA

Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम: LLOYD 4 Ton, 0 Start AC Brand ब्रांड: LLOYD Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM verified Reseller Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Split Air Conditioner Including Green AC (V3) (Q2) Model मॉडल: GLT48C series or Equivalent Model HSN Code एचएसएन कोड: HSN not specified by seller	2	pieces	130,999	NA	261,998
Total Order Value कुल ऑर्डर मूल्य (in INR)						261,998

Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू	Delivery To Be Completed By

					करना है	वितरण पूरा कब तक करना है
1	Designation पद : - Email ID ईमेल आईडी : doredlatharun.sai@coalindia.in Contact संपर्क : - GSTIN जीएसटीआईएन : - Address पता : MAHANADI COALFIELDS LIMITED, AT & PO - JAGRUTI VIHAR, BURLA, SAMBALPUR, ODISHA-768020, India	LLOYD 4 Ton, 0 Start AC	-	2	25-Oct-2023	23-Mar-2024

Product Specification for LLOYD 4 Ton, 0 Start AC

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Standards	Split Air Conditioner	Conforming to IS:1391 (Part 2) latest
	Availability of BIS/ISI Mark certification	Yes
	Air Conditioner Compliance	AC
	BEE Star rating of the product (in Nos.) (Central Ministries/ Departments while procuring shall ensure that the items carry 5 star (where annual usages is expected > 1000 hrs),3 Star (where usage is Limited) ("0" Star Rating means "Not Aplicable")	0
	BEE star rating plan	as per Gazette Notification No. S.O. 3897 (E) daated. 29th October 2019 and as per BEE Notification dated 19th April 2022
Generic	Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +/- 10%) (in Ton)	4
	Rated cooling capacity (in Watts) as per IS:1391 (Part 2)	12001 ≤ 13500
	Technology of air conditioner	Non Inverter AC
	Unit Mounting Arrangement	Indoor Unit - Floor standing type / Tower type
	ISEER (Wh/Wh) values for compliance of Green AC	Not applicable for Non Green AC
	Rated voltage (in Volts)	400V, 3 Phase, 50 Hz, AC
	Tolerance Value for Rated Voltage	10% of rated Voltage
Refrigerants	Eco-friendly Refrigerant	Yes
	Refrigerant designation	R 410 A
	Refrigerant Global warming potential (GWP)	2088 (for R410A)
	Refrigerant Ozone Depletion Potential is Zero	No
Construction	Classification by function	Cooling only (Cooling and dehumidification during cooling mode)
	Heating capacity (in Watts) Hint:- Seller should select matching Heating Capacity Value with respect to their Nominal Marketing Capacity in Tonnage)	Not applicable for Cooling only (Cooling and dehumidification during cooling mode)
	Unit type	Single split (Single Indoor and Single outdoor)
	Compressor Type	Rotary Type
	Additional Requirement	Not Applicable
Material	Material of Evaporator	Copper
	Material of Condenser	Copper
	Material of Air Filter (on indoor unit)	Synthetic Fiber
	Reusable air filter	Yes
General Feature	AC Modes	Dry Mode
	Remote Control Features	Timer, Fan Speed Control, On/OFF
	Additional Features	Dust Filter
Environmental Feature	Noise level	As per IS:1391 (Part 2) latest
	Environmental Friendly Paint	Yes
	Recycled Plastic Components	<80% by weight of total plastic components in product
Marking and Packing	Marking on the Split AC	as per Cl.17.1.1 and as per Cl.17.1.2 of IS:1391 (part 2)
	Mode of packing	Packed with Recycled and Biodegradable Material
	Supply cord and the interconnecting cord between the indoor and outdoor unit	3 m (PVC Insulated sheathed cables as per IS:694)

Accessories	Accessories / Installation kit with each split air conditioner	3 m Cu connecting pipe (for Wall Mount type upto 2 Ton), Remote control, 2 nos. of battery for each remote, Operating Manual
Warranty	AC Machine warranty (in Years)	1
	Warranty on compressor (in Years)	1 year for Capacity > 2.0 Ton
Installation	Installation	Standard installation (Scope of installation as per STC attached) with uninstallation of existing AC included
	Not included in the scope of supply	As per STC attached
Certification	Availability of type test report from Govt Lab/ NABL accredited lab / ILAC accredited lab to prove conformity of the specification	Yes. As per IS:1391 (Part 2) latest
	Test report number and date (Must declare)	2019LM092
	Name and address of Lab (Must declare)	Havells India Limited, Ghiloth
	Environmental Management Certification	ISO: 14000
	Other certification	Not applicable
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए LLOYD 4 Ton, 0 Start AC

Specification विनिर्देश	Value मूल्य
Minimum length of copper pipe and suitable connecting electrical cable to be provided for installation and commissioning	5 metres
Metallic Mount Suitable for out-door unit of 4 Ton AC and Suitable plug top for the AC machine	To be provided by the supplier
Warranty on AC machine (in years)	02 Years

ePBG Detail | ईपीबीजी विवरण

Advisory Bank सलाहकार बैंक :	State Bank of India
ePBG Percentage(%) ईपीबीजी प्रतिशत (%) :	10.00

The bidder shall furnish ePBG as applicable as per bid's terms and conditions | बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा

Terms and Conditions | नियम और शर्तें

1. Special terms and conditions- Version:1 effective from 27-01-2023

1.1 Central Ministries/ Departments while procuring electrical appliances notified by the Department of Expenditure (DoE) shall ensure that they carry the notified threshold or higher Star Rating of the Bureau of Energy Efficiency (BEE). In this regard, DoE OM No.26/6/2012-PPD dated 21.01.2013 may also be referred to wherein appliances and threshold star ratings have been circulated.

STC FOR SPLIT AIR CONDITIONERS

Scope of installation and Commissioning for Ceiling Mount / Cassette AC

Mounting/Fitting of indoor and outdoor units at the respective locations after cutting the false ceiling/drilling holes into the roof, if required.

Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.

Checking / Charging Refrigerant gas in the unit.

Suitable electric wiring between indoor units and switches up to 3 meters in length.

Testing for satisfactory working without any abnormal noise as well as leakage test of entire

The following are not included in the scope of supply for Ceiling Mount / Cassette AC:

Refrigerant pipe of the required length.

Set of 4 nos. of Rods for fixing Cassette AC to the roof.

Chiselling / Ducting / grooving for concealing the Refrigerant piping/cabling

Switches/ Sockets / Plug Tops / Voltage Stabilizer / Stand for ODU/Drain pipe/Angles

Scope of installation and Commissioning for Floor Standing / Tower type Split AC

Mounting/Fitting of indoor and outdoor units at the respective locations.

Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.

Checking / Charging Refrigerant gas in the unit.

Suitable electric wiring between indoor units and switches up to 3 meters in length.

Testing for satisfactory working without any abnormal noise as well as leakage test of entire

The following are not included in the scope of supply for Floor Standing / Tower type Split AC

Refrigerant pipe of the required length.

Chiselling / Ducting / grooving for concealing the Refrigerant piping/cabling

Switches/ Sockets / Plug Tops / Voltage Stabilizer / Stand for ODU/Drain pipe/Angles

Scope of installation and Commissioning for Wall Mount / High wall Split AC

Mounting/Fitting of indoor and outdoor units at the respective locations.
Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.
Checking / Charging Refrigerant gas in the unit.
Suitable electric wiring between indoor units and switch upto 3 meters in length
Testing for satisfactory working without any abnormal noise as well as leakage test of the entire system
The following are not included in the scope of supply for Wall Mount / High wall Split AC
Chiselling / Ducting / grooving for concealing the Refrigerant piping/cablling, Switches/ Sockets / Plug Tops / Voltage Stabilizer/Stand for ODU/Drain pipe/Angles

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 *Scope of Supply:*

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

3.2 *Service & Support:*

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

3.3 *Certificates:*

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3.4 *Buyer Added Bid Specific ATC:*

Buyer uploaded ATC document [Click here to view the file](#).

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।